## NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

## WATER WELL RIPORT DEC 27 1968

STATE OF OREGON
(Please type or pathate ENGINEER
(Do not write above this SPRIEM OREGON Permit No.

17/5w-31

13451

| (1) OWNER:   | (11) LOCATION OF WELL:   |                        |                        |                     |
|--|--|------------------------|------------------------|---------------------|
| Name CITY OF VENETA  | County LANE Driller's well number  |                        |                        |                     |
| Address VENETA, OREGON   | 14 14 Section 31 T.1 7   | S R.                   | 5W                     | W.M.                |
| (2) TYPE OF WORK (check):  | Bearing and distance from section or subdivisio  | n corner               |                        | <del></del>         |
| New Well Deepening Reconditioning Abandon                                    |  |                        |                        |                     |
| If abandonment, describe material and procedure in Item 12.                  |  |                        |                        |                     |
| 1  |  |                        |                        | <del></del>         |
| (3) TYPE OF WELL: (4) PROPOSED USE (check):                                  | (12) WELL LOG: Diameter of well 1  | oelow casii            | ng                     |                     |
| Cable D Jetted D Domestic Industrial Municipal M                             | Depth drilled 120 ft. Depth of compl   | eted well              | 120                    | ft.                 |
| Dug  | Formation: Describe color, texture, grain size   | and struct             | ure of m               | aterials:           |
| CASING INSTALLED: Threaded Welded 12 .250                                    | and show thickness and nature of each stratu<br>with at least one entry for each change of form<br>in position of Static Water Level as drilling pro | m and aq<br>ation. Rej | uifer per<br>port each | netrated,<br>change |
| 10 "Diam from 69 ft to 75 ft Gage .250                                       | MATERIAL   | From                   | то                     | swL                 |
| 10 " Diam. from 115 ft. to 120 ft. Gage .250                                 |  |                        |                        |                     |
| (4) PERSON AND AND AND AND AND AND AND AND AND AN                            | TOP SOIL   | 0                      | L <sub>1</sub>         |                     |
| PERFORATIONS: Perforated?   Yes  No.   | YELLOW CLAY  | 4                      | 45                     | 8                   |
| Type of perforator used  | RED CLAY-GRAVEL MIXE   | <del> </del>           | 56                     |                     |
| Size of perforations in. by in.  | SAND-GRAVEL SOME CLA   |                        | 64                     | 52                  |
| perforations from ft. to ft.   | SAND-GRAVEL  | 64                     | 86                     |                     |
| perforations from ft. to ft.   | SAND-COARSE GRAVEL   | 86                     | 116                    |                     |
| perforations from ft. to ft.   | SOFT BLUE SHALE  | 116                    | 120                    | 56                  |
| perforations from ft. to ft.   |  |                        |                        |                     |
| ft. to ft.   |  |                        |                        |                     |
| (7) SCOPENS.   |  |                        |                        | <del></del>         |
| (7) SCREENS: Well screen installed? ★ Yes □ No                               |  |                        |                        |                     |
| Manufacturer's Name JOHNSON  Type STAINLESS STEEL PIPE Model No. 304         |  |                        |                        |                     |
| Diam. 10 Slot size 100 Set from 75 - ft. to 115 ft.                          | ·  |                        |                        |                     |
|  |  |                        |                        |                     |
| Diam. Slot size Set from ft. to ft.  |  |                        |                        |                     |
| (8) WATER LEVEL: Completed well.   |  |                        |                        |                     |
| Static level 54 ft. below land surface Date 9-22-67                          |  |                        |                        |                     |
| sian pressure lbs. per square inch Date                                      |  |                        |                        |                     |
| (9) WELL TESTS: Drawdown is amount water level is lowered below static level |  |                        |                        | <u>-</u>            |
| Was a pump test made? Y Yes □ No If yes, by whom? CARTER S                   |  |                        |                        |                     |
| Vield: 185 gal./min. with 56 ft. drawdown after 24 hrs.                      | Work started 7-25-67 19 Complet  | ed 9-2                 | 2-67                   | 19                  |
| merd. 100 gail/min. with 50 it. drawdown after 21 mrs.                       | Date well drilling machine moved off of well   | 9                      | -22-67                 | 19                  |
|  |  |                        |                        | ············        |
| " " " "  | Drilling Machine Operator's Certification: This well was constructed under my di   | inaat auna             | ision                  | Mata                |
| Bailer test gal./min. with ft. drawdown after hrs.                           | rials used and information reported above  |                        |                        |                     |
| Artesian flow g.p.m. Date  | knowledge and belief.  |                        |                        |                     |
| Temperature of water Was a chemical analysis made? ☐ Yes ☐ No                | [Signed] (January Jones (Drilling Machine Operator)  | Date 9.                | 28-67                  | , 19                |
| (10) CONSTRUCTION:   | Drilling Machine Operator's License No. 1  |                        |                        |                     |
| Well seal—Material used CEMENT   |  |                        |                        |                     |
| Depth of seal ft.  | Water Well Contractor's Certification:   |                        |                        |                     |
| Diameter of well bore to bottom of sealin.                                   | This well was drilled under my jurisdiction and this report is   |                        |                        |                     |
| Were any loose strata cemented off?   Yes Mo Depth                           | true to the best of my knowledge and belief.  NAME. CARTER'S DRILLING & PUMP SERVICE   |                        |                        |                     |
| Was a drive shoe used? ⋈ Yes □ No  | NAME CARTER'S URILLING & PUMP SERVICE  (Person, firm or corporation) (Type or print)   |                        |                        |                     |
| Did any strata contain unusable water?   Yes No                              | 325 SOC 2ND STREET COM   | -4                     | ELD, C                 | REGON               |
| Type of water? depth of strata   | Address  | <b>/</b>               |                        |                     |
| Method of sealing strata off   | Issued dames a lend  | .)                     |                        |                     |
| Was well gravel packed?  Yes No Size of gravel:                              | [Signed] (Water Well Contrac   | rtor)                  |                        |                     |
| Gravel placed from   | Contractor's License No. 126 Date 9-   | 28-67                  |                        | 19                  |
| To the same the same to  | 1  |                        |                        |                     |