NOTICE TO WATER WELL CONTRACTOR

pi C WATER WELL REPORT

filed with the	ELL REPORT F OREGON State Well No. pe or print)	17/	6W	z 2.5
am i ma marana a canada a cana		.AN	E /4	191
	(44) Y OG A TOVY ON YWENT I			
TI DI TI DI TE	(11) LOCATION OF WELL: County 499 C Driller's well number			
			7 . 1	
Address Elmina, Oregon	14 14 Section 25 T. 178 R. 6 CA W.M.			
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivisio	n corner		
New Well ☑ Deepening □ Reconditioning □ Abandon □				
If abandonment, describe material and procedure in Item 12.				
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(12) WELL LOG: Diameter of well below casing			
Rotary Driven Domestic Industrial Municipal Domestic	1			
Dug Bored Irrigation Test Well Other]			
CASING INSTALLED: Threaded Welded Work to 692 ft. Gage 1250	Formation: Describe color, texture, grain size and show thickness and nature of each stratu with at least one entry for each change of form in position of Static Water Level as drilling pro	ım and a nation. R	aquifer pe Report eac	netrated, h change
	MATERIAL	From	То	SWL
" Diam. from ft. to ft. Gage	501/	0	2±	
PERFORATIONS: Perforated? Yes No.	Clay-brown	2	15	
Type of payorator used	Clayrgrave/-brown	1.5	23	
Size of perforations in. by in.	Soud + grave - brown	23	38	
perforations from	Sand Agravel - blue blk	38	47	
perforations from ft. to ft.	at 47'		-	
perforations from ft. to ft.	Sand+aravel-Compact	47	42	
perforations from ft. to ft.	Sandagravel- water	6.2	63	182
perforations fromft. toft.	bearing -			
(7) SCREENS: Well screen installed? Wes No Manufacturer's Name	Rottom of well	63		
TypeModel No.		, st. s.		*
Diam Slot size Set from ft. to ft.		*1.5.		
Diam. Slot size Set from ft. to ft.				
(8) WATER LEVEL: Completed well.			2 -	·
Static level /8 5 ft. below land surface Date!/-/8-69				-
sian pressure lbs. per square inch Date				*
(9) WELL TESTS: Drawdown is amount water level is lowered below static level Was a pump test made? ☐ Yes ☑ No If yes, by whom?				
771-1-2	Work started //-// 1969 Complet	ed	11-18	1969
rieid: gai./min. with ft. drawdown after hrs.	Date well drilling machine moved off of well		11-21	1969
" " " "	Drilling Machine Operator's Certification:			
Bailer test 23 gal./min. with 30 ft. drawdown after / hrs.	This well was constructed under my dirials used and information reported above knowledge and belief.			
Artesian flow g.p.m. Date Temperature of water Was a chemical analysis made? ☐ Yes ☒ No	10 000	Date	11-18	, 19 <i>.</i> 69
(10) CONSTRUCTION:	(159		
Well seal-Material used Bentonite	Drilling Machine Operator's License No. 159			
Depth of seal 18 ft.	Water Well Contractor's Certification:			
Diameter of well bore to bottom of sealin.	This well was drilled under my jurisdiction and this report is			
Were any loose strata cemented off? Yes No Depth	true to the best of my knowledge and belief. NAME Hayes Lage Well Or elling Oregulated			
Was a drive shoe used? Yes No	(Person, firm of corporation)	(Tyr	e or print)	
Did any strata contain unusable water? Yes No	Address R+3 Box 218 Ven	eta (Dreg	on
Type of water? depth of strata	10.100	7	7	
Method of sealing strata off	[Signed] (Water Well Contrac			
Was well gravel packed? [] Yes [YNo Size of gravel:	-		IC-	10
Gravel placed from ft. to ft.	Contractor's License No. 104 Date		18	19627