

WATER WELL REPORT

STATE OF OREGON

AUG 14 1980

WATER RESOURCES DEPT
SALEM, OREGON

State Well No. 175/600-29 CC

State Permit LANE 14336

(1) OWNER:

Name Robert Sage - Noti Market
Address 22528 Hwy 126
City Noti State Oreg

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Air Driven
Rotary Mud Dug
Cable Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other
Thermal: Withdrawal ReInjection

(5) CASING INSTALLED:

Steel Plastic
Threaded Welded
6" Diam. from 2 1/2 ft. to 3 1/2 ft. Gauge 252

LINER INSTALLED:

" Diam. from ft. to ft. Gauge

(6) PERFORATIONS:

Perforated? Yes No

Type of perforator used

Size of perforations in. by in.

perforations from ft. to ft.

perforations from ft. to ft.

perforations from ft. to ft.

(7) SCREENS:

Well screen installed? Yes No

Manufacturer's Name

Type Model No.

Diam. Slot Size Set from ft. to ft.

Diam. Slot Size Set from ft. to ft.

WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? Yes No If yes, by whom?

Yield: gal/min. with ft. drawdown after hrs.

Air test 75 gal/min. with drill stem at 160 ft. 1 hrs.

Water test gal/min. with ft. drawdown after hrs.

Artesian flow g.p.m.

Temperature of water Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Special standards: Yes No

Well seal—Material used Cement + bentonite 5%

Well sealed from land surface to 3 1/2 ft.

Diameter of well bore to bottom of seal 10 7/8 in.

Diameter of well bore below seal 6 in.

Number of sacks of cement used in well seal 10 sacks

How was cement grout placed? pumped

Was pump installed? Type HP Depth ft.

Was a drive shoe used? Yes No Plugs Size: location ft.

Did any strata contain unusable water? Yes No

Type of Water? depth of strata

Method of sealing strata off

Was well gravel packed? Yes No Size of gravel:

Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County Lane Driller's well number
SW 1/4 SW 1/4 Section 29 T. 17S R. 6W W.M.
Tax Lot # 5500 Lot Blk Subdivision

Address at well location: 22528 Hwy 126, Noti, Oregon

(11) WATER LEVEL: Completed well.

Depth at which water was first found approx 140 ft.
Static level 54 ft. below land surface. Date 8-1-80
Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 6

Depth drilled 163 ft. Depth of completed well 163 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Clay-rock fill	0	6	
Clay - brown	6	12	
Rock - sedimentary - gray - sandstone & claystone - water bearing at approx 140' increasing as drilling progressed to final depth	12	163	54
Bottom of well in gray sedimentary rock	163		

Work started 7-29 80 Completed 8-1 1980
Date well drilling machine moved off of well 8-1 1980

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Dell Page Date 8-1 1980
(Drilling Machine Operator)

Drilling Machine Operator's License No. 159

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name Dell Page Well Drilling
(Person, firm or corporation) (Type or print)
Address 25861 Hwy 126, Veneta, Oregon 97487

[Signed] Dell Page
(Water Well Contractor)

Contractor's License No. 104 Date 8-1 1980