## WATER WELL REPORT

STATE OF OREGON

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM 10, OREGON within 30 days from the date of well completion.

State Well No.

2 2 M Will by Landson		
(1) OWNER:	(11) WELL TESTS: Drawdown is amount water level lowered below static level	ıl is
Name Pleasant Hill School Dist. #1	Was a pump test made? ☐ Yes ☐ No If yes, by whom?	
Address Rt. 2 Creswell, Oregon	Yield: gal./min. with ft. drawdown after	hrs.
	)) )) )) )) )) )) )) )) )) )) )) )) ))	····
(2) LOCATION OF WELL:		
County Lane Driller's well number	Bailer test 3600 gal./min. with 20 ft. drawdown after	hrs.
14 14 Section 34 T. 185 R. 2 W W.M.	Artesian flow g.p.m. Date	
Bearing and distance from section or subdivision corner	Temperature of water Was a chemical analysis made?	Yes □ No
Dearing and distance from section of Basarysson editor	(12) WELL LOG: Diameter of well below casing	송**
	Depth drilled 16 ft. Depth of completed well 13	
	Formation: Describe by color, character, size of material and stru	ucture, and
	show thickness of aquifers and the kind and nature of the mater stratum penetrated, with at least one entry for each change of	rial in each
	MATERIAL FROM	TO
(3) TYPE OF WORK (check):	Sand & small gravel 119	135
Well ☐ Deepening ☒ Reconditioning ☐ Abandon ☐		
ir Joandonment, describe material and procedure in Item 12.		
(4) PROPOSED USE (check): (5) TYPE OF WELL:		<del> </del>
Domestic   Industrial   Municipal   Rotary   Driven		-
Irrigation		+
Titigation   Total Vol.   Control   Dug   Doled		+
(6) CASING INSTALLED: Threaded □ Welded □ K		+
8 " Diam, from 0 ft. to 16 ft. Gage .2500		-
" Diam. from ft. to ft. Gage		+
"Diam. from ft. to ft. Gage		
		+
(7) PERFORATIONS: Perforated? ☐ Yes ☑ No		1
Type of perforator used		+
Size of perforations in. by in.		<del> </del>
perforations from ft. to ft.		
perforations from ft. to ft.		-
perforations from		
perforations from ft. to ft.		
perforations from ft. to ft.		1
(8) SCREENS: Well screen installed ☐ Yes ☒ No		1
Manufacturer's Name		
De Model No		
Bram,	Work started 10/29/6219 . Completed 10/21/6	52 19
Diam,	Date well drilling machine moved off of well 10/31/6	52 19
	(40) 777777	
(9) CONSTRUCTION:	(13) PUMP:	
Well seal—Material used in seal	Manufacturer's Name	
Depth of seal ft. Was a packer used?	Type: H.P.	
Diameter of well bore to bottom of sealin.	Water Well Contractor's Certification:	
Were any loose strata cemented off? Yes No Depth	This well was drilled under my jurisdiction and this	s renort is
Was a drive shoe used? ☐ Yes ☐ No	true to the best of my knowledge and belief.	, 200020 10
Was well gravel packed?  Yes No Size of gravel:	Const. Tomas Well Towalland Co.	•••
Gravel placed from ft. to ft.	NAME Casey Jones Well Drilling Company (Person, firm or corporation) (Type or print)	
Did any strata contain unusable water? ☐ Yes ☑ No	Address Rt. 2 Box 695, Creswell, Oregon	
Type of water? Depth of strata	- <del></del>	
Method of sealing strata off	Drilling Machine Operator's License No. 239	
(10) WATER LEVELS:	Dollant Star	
Static level 18! ft. below land surface Date 10/31/62	[Signed] A. Water Well Contractor)	
Artesian pressure lbs. per square inch Date	Contractor's License No. 193 Date 11/6/62	, 19