ORIGINAL / File Original and Duplicate with the

WATER WELL REPORT

State	Well N	·)	8/31	w -1	
					A
State	Permit	No.	ANE	160	40

SALEM, OREGON WELL #4	STATE	State Permit No.	INE/(שדענ	
(1) OWNER:	E = 111 L 3 0 1000	(11) WELL TESTS: Drawdown is amount water level is lowered below static level			
Name Pacific Power & Ligh	nt Co.	Was a pump test made? ▼ Yes □ No If yes, by whom	~ 4 5	RTER'S	
Address 550 Main Street	And a to Be made .	Yield: 750 gal./min. with 22 ft. drawdow	vn after 7	72 hrs	
Springfield, Oregon	April Approximation and the second	" "		17	
(2) LOCATION OF WELL:		37 31 31		**	
995 à 10 00 00 00 00 00 00 00 00 00 00 00 00	umber, if any— 4	Bailer test gal./min. with ft. drawdow	n after	hrs	
NF: ¼ ¼ Section 1 T		Artesian flow g.p.m. Date			
Bearing and distance from section or subdivis		Temperature of water Was a chemical analysis m	ade? 🗌 Y	es □ N	
2603.91 West and 1751.97 S	outh of the SE	(12) WELL LOG: Diameter of well	16	inche	
corner of Isaac Briggs DLC	••	Depth drilled ft. Depth of completed w	1.1	Į f	
		Formation: Describe by color, character, size of materi	al and stru	icture, an	
		show thickness of aquifers and the kind and nature of stratum penetrated, with at least one entry for each of	the mater change of	formation	
		MATERIAL	FROM	TO	
TYPE OF WORK (check):		_ Pit	0	7	
	nditioning Abandon	Loose sand & gravel with			
If abandonment, describe material and proceed	dure in Item 11,	boulders (Old Hole)	7	25	
(A) DROBOCER TICE (.II.).	(E) MATERIAL OF STREET E.				
(4) PROPOSED USE (check):	(5) TYPE OF WELL:	(New Hole)		ļ	
Domestic Industrial Municipal	Rotary ☐ Driven ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐	Coarse sand & gravel with rocks			
tion Test Well Other	Dug	2" to 4" in diameter	25	32	
(6) CASING INSTALLED:	hreaded □ Welded 🗷	Cement gravel	32	38	
16 "Diam. from	44 ft Gage 3/8 Wall	Coarse gravel & small boulders	 		
			38	1.1.	
		streaks of clay	30	44	
	24 0050			+	
()	erforated? 🛣 Yes 🔲 No		1		
Type of perforator used Torch					
SIZE of perforations 1/2 in. by Torch perforations from 22					
	•				
perforations from perforations from					
perforations from perforations				ļ	
perforations from			<u> </u>	ļ	
performance iron	10.		 		
(8) SCREENS: Well screen	installed 🗌 Yes 🌃 No		 	 	
Meturer's Name					
Type			 		
Diam Slot size Set from			Trem o T	<u> </u>	
Diam, Slot size Set from	ft, to ft.	Work started June 1, 1957. Completed	June 1	11, 195	
(9) CONSTRUCTION:		(13) PUMP:			
V well gravel packed? ☐ Yes ☐ No Si	ze of gravel:	Manufacturer's Name			
Gravel placed from ft. to	ft.	Type:	H.P	*************	
Was a surface seal provided? $\ \square$ Yes $\ \square$ No	To what depth? ft.				
		Well Driller's Statement:			
Did any strata contain unusable water?		This well was drilled under my jurisdiction true to the best of my knowledge and belief.	and this	report	
	of strata	CADMED A STITTING A DANK OF	-		
Method of sealing strata off		NAME CARTER'S DRILLING & PUMP SI (Person, firm, or corporation)	ERVICE Type or pri		
(10) WATER LEVELS:		Address 325 South 2nd St., Springf	ield,	Ĵregon	
Static level 9 ft. below lar	nd surface Date	Tiddless	/		
Artesian pressure lbs. per s	quare inch Date	Driller's well number			
Log Accepted by:		[Signed] Tames x. (and	()		
	Ban 7 < D	(Well Driller)	************		
[Signed] Corbett Millandate	19.50 , 19.50	License No. 126 Date April	.3.	, 195	
safee Towers high	0.			-	