NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the STATE ENGINEER, SALEM, OREGON Within 30 days from the date of well completion. STATE L. GINTER TYPE OF OREGON PRINTS OF WELL REPORT OF WITHIN STATE L. GINTER TYPE OF PRINTS OF PRINTS OF WELL REPORT OF WE

State Well No. .

and the second s	TELL STORY	(11) WELL TEST	C. Drav	vdown is amount v red below static le	vater level i	is
(1) OWNER:	2. 40	` '				
Name Harry Wright		Was a pump test made?				hrs.
Address 130 N 5th		Yield: 170 gal.	./min. with	38 ft. drawdov	vn atter	"
Springfield, Oregon		,,	,,	***		**
(2) LOCATION OF WELL:			gal./min. with	ft. drawdo	wn after	hrs.
County Driller's well number		Bailer test g Artesian flow		n. Date		 -
	18 S R. 3 W W.M.	Temperature of water		hemical analysis	made? 🗌 Y	es 🗌 No
Bearing and distance from section or subdivisi	ion corner	(12) WELL LOG:			6"	
		` ′		er of well below c	100)
	Except of the control	Depth drilled 103		h of completed w		
		Formation: Describe by show thickness of aquifi	color, charac iers and the k	ter, size of materions ind and nature of	ıl and struc the materio	ture, and il in each
	W.	stratum penetrated, with	h at least one	e entry for each o	nange of fo	ormation.
		- M	ATERIAL	-	FROM	TO .
(3) TYPE OF WORK (check):		Topsoil	-		0	4
New Well ☑ Deepening ☐ Reconditioning ☐ Abandon ☐		Sand & gravel	w/small	boulders	4	<u> 78</u>
pandonment, describe material and proce	dure in Item 12.	Soft blue cla			78	85
(4) PROPOSED USE (check):	(5) TYPE OF WELL:	Sand & gravel			85	103;
	Rotary Driven			H		
Domestic ☑ Industrial ☐ Municipal ☐	Cable ⊠ Jetted □					
Irrigation Test Well Other	Dug 🗌 Bored 🗎					
(6) CASING INSTALLED: Three				 		
6 0 1				-		
"Diam. from ft. to				+		
" Diam. fromft. to			f. 16. A.			
	forated? □XYes □ No					
11533			-1- · · · · · · · · · · · · · · · · · ·			
Type of perforator used Mill						-
Size of perforations 3/8 in. by perforations from 40			- (-		
perforations from perforations from		÷ .	-			
perforations from						
perforations from						
perforations from		F.0				
(8) SCREENS: Well screen ins		, ,				
Manufacturer's Name					-	-
am. Slot size Set from			10 (4 Completed	4-11	19 64
Diam. Slot size Set from		Work started 4-7 Date well drilling mach			4-11	19 64
			mile moved e	11 01 11 01		·
(9) CONSTRUCTION:		(13) PUMP:				-
Well seal—Material used in sealPuc	Manufacturer's Name					
Depth of seal		- Type:	••••••		H.P	ش.
Diameter of well bore to bottom of seal		Water Well Contrac	tor's Certifi	cation:		
Were any loose strata cemented off? Yes					سلملا لا ساما	manant ia
Was a drive shoe used? ☐ Yes ☐ No		This well was di	rilled under ny knowled:	my jurisdiction ge and belief.	i and tins	report is
Wan werr Braker basered.	Size of gravel:	·			Compan	v . ,
Gravel placed from ft, to	NAME Casey Jones Well Drilling Company (Person, firm or corporation) (Type or print)					
Did any strata contain unusuable water?		Address Rt. 2			Oregon	
Type of water? depth of	Strata	[*] 4	·			
Method of sealing strata off	Drilling Machine O	perator's Li	cense No	TXO		
(10) WATER LEVELS:	[Signed] Dellerfollones					
Static level 8 ft. below la	and surface Date 4-11-64	1	(W	ater Well Contractor	4 00	6.0
Artesian pressure lbs. per s	quare inch Date	Contractor's License	e No. 100	Date	4-20	, 1904