NOTICE TO WATER WELL CON BATCR The original and first copy of this applies to be filed with the WATER WELL	E REPORTE EINED	100/000
WATER RESOURCES DEPARTMENTAUG 24 1981 STATE OF		1
SALEM, OREGON 97310 within 30 days from the datter RESOURCES DEPT	or print) WATED DESCRIBEES PRINTPARMIT N	
of well completion. SALEM, OREGON on twrite an	OF PRINTS WATER RESOURCES DEPTPERMIT NO SALEM, OREGON ANE	18477
(1) OWNED.	(10) LOCATION OF WELL:	
Cash Hadisan To Chool / 251-Th	County Lane Driller's well nu	mbon 74-81
Address \$455 Territoria   Rd	5E 1/4 501/4 Section 20 T. 189	
Buceneille 97501	1 -	R. 6 W.M.
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision	on corner
New Well	7	
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed w	- 11
(3) TYPE OF WELL: (4) PROPOSED USE (check):		en.
Rotary Driven Domestic M Industrial Municipal	Depth at which water was first found	7-7-8
Cable	Static level ft. below land s	
Dilg . Bored . Inigation . Lest wen . Caller .	Artesian pressure lbs. per squar	e inch. Date
CASING INSTALLED: Threaded   Welded	(12) WELL LOG: Diameter of well b	palam assing (a
"Diam. from the ft. to 37 ft. Gage # 150	Depth drilled 25 ft. Depth of compl	
ft. to ft. Gage	Formation: Describe color, texture, grain size a	
ft. Gage	and show thickness and nature of each stratus	m and aquifer penetrated,
PERFORATIONS: Perforated? Yes \( \square\) No.	with at least one entry for each change of format position of Static Water Level and indicate prin	
Type of perforator used SWILL SAW PUC	MATERIAL	From To SWL
Size of perforations \( \frac{1}{Q} \) in. by \( \frac{1}{R} \) in.	TOP SOIL	0 5
	Regular CLAY	5 22
perforations fromft. toft.	CREY SANDSTONE	22 85
perforations fromft. toft.		
(7) SCREENS.	Page 4000000000000000000000000000000000000	
(7) SCREENS: Well screen installed? Yes \( \subseteq \) No		
Manufacturer's Name  Type Model No	- · · · · · · · · · · · · · · · · · · ·	
Diam. Slot size Set from ft. to ft.	908 p ====	<u> </u>
Diam, Slot size Set from ft. to ft.		
(8) WELL TESTS. Drawdown is amount water level is		
(8) WELL TESTS: Drawdown is amount water level is lowered below static level		
Was a pump test made? ☐ Yes ☐ No If yes, by whom?		ļ. <u> </u>
Yield: gal./min. with ft. drawdown after hrs.		
" " "		
AIR STEM AT SOTON		
Batter test gal./min. with ft. drawdown after hrs.		
Artesian flow g.p.m.		
perature of water Depth artesian flow encountered ft.	Work started 7-3/ 1981 Complete	ed 8-3 19 <i>81</i>
(9) CONSTRUCTION:	Date well drilling machine moved off of well	8-3 1981
Well seal—Material used PORT LAND CEMENT	Drilling Machine Operator's Certification:	,
Well sealed from land surface to 27 ft.	This well was constructed under my	direct supervision.
Diameter of well bore to bottom of sealin.	Materials used and information reported best knowledge and belief.	above are true to my
Diameter of well bore below seal	[Signed] Ilen While	Date 8-3-, 19.81
Number of sacks of cement used in well seal sacks	(Drilling Machine Operator)	
How was cement grout placed? Pour RED THROUGH	Drilling Machine Operator's License No.	100 A
TRIMMIE PIPE	Water Well Contractor's Certification:	: · · · · · · · · · · · · · · · · · · ·
The second secon	This well was drilled under my jurisdi	ction and this report is
Was a drive shoe used?   Yes No Plugs Size: location ft.	true to the best of my knowledge and bel	ief.
Did any strata contain unusable water?   Yes   No	Name ART HOLTE WELL (Person, firm or corporation)	(Type or print)
Type of water? depth of strata	Address P.O. BOX 148 ELMIR	
Method of sealing strata off	O A Malx	~
Was well gravel packed? ☐ Yes M No Size of gravel:	[Signed] (Water Well Contr	actor)
Gravel placed fromft. toft.	Contractor's License No. 22/ Date	8-3-1050
II.	Contractor a License No Date	