

NOTICE TO WATER WELL CONTRACTOR  
The original and first copy of this report  
are to be filed with the

WATER RESOURCES DEPARTMENT,  
SALEM, OREGON 97310  
within 30 days from the date  
of well completion.

**LANE WATER WELL REPORT**  
**STATE OF OREGON**  
**RECEIVED**

18565

(Do not write above this line)  
JUL 3 1978

Per H<sub>2</sub>O Right Gas Stone 2500  
File # 10364  
State Well No. 185/5W-26  
State Permit No. NCL 4 SW 1/4

**(1) OWNER:**

Name Scaggins  
Address R4, P.O. 1579 Scottsburg Ore. 97723

**WATER RESOURCES DEPT. LOCATION OF WELL:**

SALEM, OREGON  
County Lane Driller's well number  
1/4 Section 26 T. 18 S. R. 5 W. W.M.  
Bearing and distance from section or subdivision corner

**(2) TYPE OF WORK (check):**

New Well  Deepening  Reconditioning  Abandon   
If abandonment, describe material and procedure in Item 12.

**(3) TYPE OF WELL:**

Rotary  Driven   
Cable  Jetted   
Dug  Bored

**(4) PROPOSED USE (check):**

Domestic  Industrial  Municipal   
Irrigation  Test Well  Other

**(11) WATER LEVEL: Completed well.**

Depth at which water was first found 80 ft.  
Static level 17 ft. below land surface. Date  
Artesian pressure lbs. per square inch. Date

**CASING INSTALLED:**

Threaded  Welded   
10" Diam. from 7.1 ft. to 30 ft. Gage 250  
" Diam. from ft. to ft. Gage  
" Diam. from ft. to ft. Gage

**(12) WELL LOG:**

Diameter of well below casing 10  
Depth drilled 100 ft. Depth of completed well 100 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Top Soil	0	2	
Light Grey Clay	2	9	
Brown Clay	9	16	
Weathered Sandstone	16	22	
Blue Sandstone	22	63	
Grey Sandstone	63	100	

**PERFORATIONS:**

Perforated?  Yes  No.  
Type of perforator used  
Size of perforations in. by in.  
perforations from ft. to ft.  
perforations from ft. to ft.  
perforations from ft. to ft.

**(7) SCREENS:**

Well screen installed?  Yes  No  
Manufacturer's Name  
Type Model No.  
Diam. Slot size Set from ft. to ft.  
Diam. Slot size Set from ft. to ft.

**(8) WELL TESTS:**

Drawdown is amount water level is lowered below static level  
Was a pump test made?  Yes  No If yes, by whom?  
Yield: gal./min. with ft. drawdown after hrs.  
12 hrs - air Brown - 75 gal/min  
Baller test gal./min. with ft. drawdown after hrs.  
Artesian flow g.p.m.  
Temperature of water Depth artesian flow encountered ft.

**(9) CONSTRUCTION:**

Well seal—Material used Portland Cement  
Well sealed from land surface to 30 ft.  
Diameter of well bore to bottom of seal 14 in.  
Diameter of well bore below seal 10 in.  
Number of sacks of cement used in well seal 12 sacks  
How was cement grout placed? Mixed + Paired

Work started 5/26 19 78 Completed 6/12 19 78  
Date well drilling machine moved off of well 6/12 19 78

**Drilling Machine Operator's Certification:**

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] [Signature] Date 6-15, 19 78  
(Drilling Machine Operator)  
Drilling Machine Operator's License No. 829

**Water Well Contractor's Certification:**

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name Patcher Pump Drilling  
(Person, firm or corporation) (Type or print)  
Address 150 N. Live Oak Ave.  
[Signed] [Signature]  
(Water Well Contractor)  
Contractor's License No. 494 Date \_\_\_\_\_, 19 \_\_\_\_\_