

**WATER WELL REPORT**  
STATE OF OREGON

**RECEIVED**

State Well No. 18s/7w-5c

APR 29 1982

State Permit LANE  
18980

WATER RESOURCES DEPT.  
SALEM, OREGON

(1) OWNER:

Name Jack Cleek  
Address 19610 Hwy 126  
City Walton, State Oregon

(2) TYPE OF WORK (check):

New Well  Deepening  Reconditioning  Abandon

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Air  Driven   
Rotary Mud  Dug   
Cable  Bored

(4) PROPOSED USE (check):

Domestic  Industrial  Municipal   
Irrigation  Test Well  Other   
Thermal: Withdrawal  ReInjection

(5) CASING INSTALLED:

Steel  Plastic   
Threaded  Welded

6" Diam. from +1 ft. to 50 ft. Gauge 250  
" Diam. from ft. to ft. Gauge

(6) LINER INSTALLED:

" Diam. from ft. to ft. Gauge

(6) PERFORATIONS:

Perforated?  Yes  No

Type of perforator used

Size of perforations in. by in.  
perforations from ft. to ft.  
perforations from ft. to ft.  
perforations from ft. to ft.

(7) SCREENS:

Well screen installed?  Yes  No

Manufacturer's Name  
Type Model No.  
Diam. Slot Size Set from ft. to ft.  
Diam. Slot Size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made?  Yes  No If yes, by whom?

id: gal./min. with ft. drawdown after hrs.  
" " " " "  
Air test 15 gal./min. with drill stem at 125 ft. 1 hrs.  
Bailer test gal./min. with ft. drawdown after hrs.  
Artesian flow g.p.m.

Temperature of water 54° Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Special standards: Yes  No

Well seal—Material used Portland Cement Type III  
Well sealed from land surface to 40 ft.  
Diameter of well bore to bottom of seal 10 in.  
Diameter of well bore below seal 6 in.  
Number of sacks of cement used in well seal 9 sacks  
How was cement grout placed? Method "C"

Was pump installed? Type HP Depth ft.  
Was a drive shoe used?  Yes  No Plugs Size: location ft.  
Did any strata contain unusable water?  Yes  No  
Type of Water? depth of strata  
Method of sealing strata off  
Was well gravel packed?  Yes  No Size of gravel: ft.  
Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County Lane Driller's well number 3513/650 GP  
1/4 SW 1/4 Section 5 T. 18S R. 7W W.M.  
Tax Lot # 601 Lot Blk Subdivision  
Address at well location: 19610 Hwy 126  
Walton, Oregon

(11) WATER LEVEL: Completed well.

Depth at which water was first found 118 ft.  
Static level 15 ft. below land surface. Date 4/20/82  
Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 6"

Depth drilled 135 ft. Depth of completed well 135 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Top Soil	0	3	
Brown Clay	3	34	
Brown Sandstone	34	44	
Blue Sandstone	44	135	15

Work started 4/19/ 19 82 Completed 4/20/ 19 82  
Date well drilling machine moved off of well 4/20/ 19 82

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.  
[Signed] \_\_\_\_\_ Date 4/20/ 19 82  
(Drilling Machine Operator)  
Drilling Machine Operator's License No. 390

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.  
Name Carter's Drilling & Pump Service  
(Person, firm or corporation)  
Address P.O. Box 46 Springfield, Oregon 97147  
(Type or print)  
[Signed] \_\_\_\_\_  
(Water Well Contractor)  
Contractor's License No. 126 Date 4/20/ 19 82

NOTICE TO WATER WELL CONTRACTOR  
The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT,  
SALEM, OREGON 97310  
within 30 days from the date of well completion.

SP\*12658-690