NOTICE TO WATER WELL CONTRACTOR

The original and first copy

STATE OF OREGON of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97218 within 30 days from the date

		141	/ L	A/ -	. 7
State	Well No		./	X	CA
State	Per	NE'			
-3	-010	400			

STATE ENGINEER, SALEM, OREGON 97210 16 39 (Please ty) within 30 days from the date) (Do not write of well completion.	state Per State			
	019423			
(1) OWNER:	(11) LOCATION OF WELL:			
Name John Calkins	County Lane Driller's well number			
Address Star Route, Lowell, Oregon	14 14 Section 2 T. 198 R. JW W.M.			
	Bearing and distance from section or subdivision corner			
(2) TYPE OF WORK (check):	searing and answere aron between the search			
New Well 🔀 Deepening 🗌 Reconditioning 🗆 Abandon 🖂				
If abandonment, describe material and procedure in Item 12.				
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(12) WELL LOG: Diameter of well below casing 6			
Rotary M Driven Domestic Dindustrial Municipal Domestic	Diameter of well below casing			
Dug Bored I Irrigation Test Well Other	Depth drilled 245 ft. Depth of completed well 245 ft.			
CASING INSTALLED: Threaded Welded W	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated,			
6 "Diam, from 0 ft. to 18 ft. Gage .250	with at least one entry for each change of formation. Report each change			
" Diam, from ft. to ft. Gage	in position of Static Water Level as drilling proceeds. Note drilling rates.			
" Diam. fromft. toft. Gage	MATERIAL From To SWL			
	Mud & Gravel 0 8			
PERFORATIONS: Perforated? Yes No.	Blue Basalt 8 70			
Type of perforator used	Red Basalt 70 80			
Size of perforations in. by in.	Blue Basalt 80 108			
perforations fromft. toft.	Red Basalt 108 125			
perforations from ft. to ft.	Blue Basalt 125 179			
perforations fromft. toft.	Red Basalt 179 200			
perforations fromft. toft.	Blue Basalt 200 235			
perforations fromft. toft.	Red Basalt 235 245			
(7) SCREENS: Well screen installed? ☐ Yes ☒ No				
Manufacturer's Name	1-2			
Type Model No.				
Diam Slot size Set from ft. to ft.				
Diam. Slot size Set from ft. to ft.				
(8) WATER LEVEL: Completed well.				
Static level 11 ft. below land surface Date 11-20-6	9			
sian pressure lbs. per square inch Date				
(9) WELL TESTS: Drawdown is amount water level is lowered below static level				
Was a pump test made? Tyes I No If yes, by whom?				
gal./min. withft, drawdown after hrs.	Work started 11-18-69 19 Completed 11-20-69 19			
" " "	Date well drilling machine moved off of well 11-20-69 19			
" " " "	Drilling Machine Operator's Certification:			
Charles that the state of the s	This well was constructed under my direct supervision. Mate-			
	rials used and information reported above are true to my best			
Artesian flow g.p.m. Date	knowledge and belief.			
Temperature of water Was a chemical analysis made? Yes No	[Signed] Date 12-1-69 19			
(10) CONSTRUCTION:	150			
Well seal-Material used Cement & Puddled Clay	Drilling Machine Operator's License No			
Depth of sealft.	Water Well Contractor's Certification:			
Diameter of well bore to bottom of sealin.	This well was drilled under my jurisdiction and this report is			
Were any loose strata cemented off? 🗌 Yes 🏝 No 🛮 Depth	true to the best of my knowledge and belief.			
Was a drive shoe used? ☐ Yes 🛱 No	NAME Casey Jones Well Drilling Co Inc (Person, firm or corporation) (Type or print)			
Did any strata contain unusable water? 🔲 Yes 💆 No	DO DO COE DI			
Type of water? depth of strata	Address R B Box 695 Pleasant Hill, Oregon			
Method of sealing strata off	[Signed] fill flest of fres			
Was well gravel packed? [] Yes [] No Size of gravel:	(Water Well Contractor)			
Gravel placed fromft. toft.	Contractor's License No. 103 Date 12/1/69 19			