The original and first copy of this report are 10 DEC 20 1965

WATER WELL

WATER WELL

WATER WELL WATER WELL REPORT LAN 19/76-19 STATE ENGINEER, SALEM, OREGON 97310 STATE OF OREGON within 30 days from the date E ENGINEER (Please type or print) of well completion. Drawdown is amount water level is lowered below static level (11) WELL TESTS: (1) OWNER: Dept. of the Interior Name Bureau of Land Management Was a pump test made? 🗌 Yes 🙀 No If yes, by whom? Addres P. O. Box 392 gal./min. with ft. drawdown after Yield: Eugene, Oregon (2) LOCATION OF WELL: Bailer test 15 hrs. gal./min, with 21 ft. drawdown after county Lane Driller's well number g.p.m. Date Artesian flow 1/4 Section SE т. 19S R. Temperature of water Was a chemical analysis made? ☐ Yes 😾 No Bearing and distance from U.S. Robert Subsection Conner (12) WELL LOG: Diameter of well below casing . Depth drilled ft. Depth of completed well Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation. MATERIAL (3) TYPE OF WORK (check): Top soil Wells Deepening [7] Reconditioning [Abandon [Yellow clay ndonment, describe material and procedure in Item 12. Yellow sandstone <u>Grav sandstone</u> (4) PROPOSED USE (check): (5) TYPE OF WELL: Rotary 🔲 Driven 🗌 Cable Jetted Irrigation | Test Well Other Bored □ Dug (6) CASING INSTALLED: Threaded | Welded 6 " Diam. from 0 ft. to 21 ft. Gage 25 ..." Diam, from ft. to ft. Gage (7) PERFORATIONS: Perforated? Tyes I No Type of perforator used in. by Size of perforations perforations from ft. to perforations from ft. to ft. perforations from ft. to ft. perforations from ft. to ft. perforations from ft. to ft. (8) SCREENS: Well screen installed? \square Yes \square No Manufacturer's Name 19 65 Completed NOV. Work started NOV. 17 Diam. Slot size Set from ft. to Date well drilling machine moved off of well (9) CONSTRUCTION: (13) **PUMP**: Well seal—Material used in seal ____cement Diameter of well bore to bottom of seal9 in. Water Well Contractor's Certification: Were any loose strata cemented off? ☐ Yes 🔣 No Depth This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Was a drive shoe used?
Yes X No Was well gravel packed? ☐ Yes ☐XNo Size of gravel: NAME W. W. Drilling and Pump Service

(Person, firm or corporation)

Address 1+157 Main St. Springfield, Ore. Gravel placed from ft. to ft. Did any strata contain unusable water? 🗌 Yes 😾 No Type of water? depth of strata Drilling Machine Operator's License No. 404 Method of sealing strata off [Signed] Walt (Water Well Contractor) (10) WATER LEVELS: ft. below land surface Date 11/24/65 Static level Contractor's License No. 268 Date Dec. 10, 1965 lbs. per square inch Date Artesian pressure