5 1965WATER WELL REPORT

State Well No.

NOTICE TO WATER WELL CONTRACTOR

The original and first copy AUC of this report are to be filed with the

STATE ENGINEER, SALEM 10, OREGON within 30 days from the date of well completion.

STATE OF OREGON (Please type or print)

or wen completion.			State Permit No		
(1) OWNER: Name MT, CANARY L	UMBER CO.	(11) WELL TESTS: Was a pump test made? ☐ Yes	Drawdown is amount lowered below static l	evel	l is
Address Westlake		Yield: gal./min. w	ith ft. drawdoy	yn after	hrs.
Gregor		"	***	~~~	
(2) LOCATION OF WELL: County LANE Driller's well number 197 14 N 14 Section 17 T. 19.5 R. 11W W.M.		"	***		,,
		Bailer test 2300 gel./phr	with <i>58</i> ft. drawdo	wn after	3 hrs.
		Artesian flow g.p.m. Date			
		Temperature of water 49 W	as a chemical analysis	made? 🔲 🥻	Yes No
Bearing and distance from section or subdivise 925 flet South and	. 16 3 feet West		iameter of well below	· ·	54
of the north ty corner	of Section 17	Formation: Describe by color, a show thickness of aquifers and	Depth of completed veharacter, size of materi the kind and nature of	al and stru the mater	cture, and ial in each
T 193, RIIW, WM.		stratum penetrated, with at least		FROM	TO
(3) TYPE OF WORK (check):		Our se	1	104	108
	ditioning	July vana	rone	107	100
If abandonment, describe material and proced		96 1) <u>, </u>	108	111
		- DR MAN	<u>, , , , , , , , , , , , , , , , , , , </u>	100	110
(4) PROPOSED USE (check):	(5) TYPE OF WELL:	10 1 1 7		110	115
Domestic 🗆 Industrial 💢 Municipal 🗆	Rotary 🗌 Driven 🗎	_ wana stone	2	110	113
Irrigation ☐ Test Well ☐ Other ☐	Cable Jetted Dug Bored	10 + 100	+ 1 .	1.0	100
		stare state, a	vatar bearing	1/3	120
(6) CASING INSTALLED: The	readed 🗌 Welded 🔲			 	
	ft. Gage			-	
	ft. Gage	-	· · · · · · · · · · · · · · · · · · ·		
ft. to	ft. Gage				
(7) PERFORATIONS: Per	rforated? 🗌 Yes 🙀 No	SEAL SEAL SEAL SEAL SEAL SEAL SEAL SEAL		-	
Type of perforator used			· · · · · · · · · · · · · · · · · · ·		
Size of perforations in. by	in.			 	
perforations from	ft. to ft.			-	
perforations from	ft. to ft.				
perforations from	ft. to ft.				
perforations from	ft. to ft.			<u> </u>	
perforations from	ft. to ft.				
(8) SCREENS: Well screen in:	stolled D Yes W No.			-	
Wen screen in	stalled 🗌 Yes 📈 No				
	Jal M.				
Diam Slat size Sat from			7 2 0		1
Diam. Slot size Set from Set f		1	963 Completed Qu	19 13 L	196
Diam Slot size Set from	it. to It.	Date well drilling machine mor	ved off of well dug	13th	19 6
(9) CONSTRUCTION:	A	(13) PUMP:			
Well seal—Material used in seal Moor	Redin side.	Manufacturer's Name Rede	· Pump	Co.	
Depth of seal ft. Was a pa	Type: submerail	le	HP 1	-	
Diameter of well bore to bottom of seal			-,;	<u> </u>	
Were any loose strata cemented off? ☐ Yes [Water Well Contractor's Certification:				
Was a drive shoe used? Yes No	No Depth	This well was drilled u	nder my jurisdiction	and this	report is
Was well gravel packed? ☐ Yes ☐ No Size	of gravel:	true to the best of my know			/
Gravel placed from ft. to		P. P.	and the same of		
		NAME Marles 1 a (Person, firm of	or corporation)	Type or prin	nt) _
Did any strata contain unusable water? Type of water? Denth of	Address Rt. 1. Bol	Address Rte 1, Box 192, Florence, Ore			
Type of water? Depth of Method of sealing strate off	surata	ALGORD & MANTHE MANTHE MANTHE		1/	<u></u> 5
Method of sealing strata off		Drilling Machine Operator'	s License No	163)
(10) WATER LEVELS:	N	" " " " " 1.00	Pa	<i>l</i>	_
Static level 22 ft. below land	surface Date Qua 13th	[Signed] Maves	(Water Well Contractor)	w	7
	are inch Date	Contractor's License No	7 7 note Que	0134	10 6:
p-32 64 ci	/IISE ADDITIONAL ST	~	Date March	7	r, 18