

NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT.
SALEM, OREGON 97310
within 30 days from the date of well completion.

LANE WATER WELL REPORT

RECEIVED

023302

STATE OF OREGON
(Please type or print)

FEB 23 1978

State Well No. 2154E-7

State Permit No.

(Do not write above this line)

WATER RESOURCES DEPT.

(1) OWNER:
Name Willamette NATIONAL Forest
Address P.O. Box 10607 Eugene, Oregon

(2) TYPE OF WORK (check):
New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:
Rotary Driven
Cable Jetted
Dug Bored
(4) PROPOSED USE (check):
Domestic Industrial Municipal
Irrigation Test Well Other

CASING INSTALLED:
" Diam. from 0 ft. to 48 ft. Gage 280
" Diam. from _____ ft. to _____ ft. Gage _____
" Diam. from _____ ft. to _____ ft. Gage _____

PERFORATIONS:
Type of perforator used _____
Size of perforations _____ in. by _____ in.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.

(7) SCREENS:
Well screen installed? Yes No
Manufacturer's Name _____
Type _____ Model No. _____
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

(8) WELL TESTS:
Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom?
Yield: _____ gal./min. with _____ ft. drawdown after _____ hrs.
" " " " " "
" " " " " "
Bailer test 13 gal./min. with 17 ft. drawdown after 1 hrs.
Artesian flow _____ g.p.m.
Temperature of water _____ Depth artesian flow encountered _____ ft.

(9) CONSTRUCTION:
Well seal—Material used cement
Well sealed from land surface to 13 ft.
Diameter of well bore to bottom of seal 10 in.
Diameter of well bore below seal 6 in.
Number of sacks of cement used in well seal 9 sacks
How was cement grout placed? press. grout

Was a drive shoe used? Yes No Plugs _____ Size: location _____ ft.
Did any strata contain unusable water? Yes No
Type of water? _____ depth of strata _____
Method of sealing strata off _____
Was well gravel packed? Yes No Size of gravel: _____
Gravel placed from _____ ft. to _____ ft.

(10) LOCATION OF WELL:
County LANE Driller's well number 11/78
1/4 1/4-Section 7 T21S R. 4E W.M.

Bearing and distance from section or subdivision corner
SALMON CREEK CAMPGROUND

(11) WATER LEVEL: Completed well.
Depth at which water was first found 20 ft.
Static level 27 ft. below land surface. Date 2/19/78
Artesian pressure _____ lbs. per square inch. Date _____

(12) WELL LOG: Diameter of well below casing SIX
Depth drilled 47 ft. Depth of completed well 47 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
SOIL	0	1	
Boulders, silt, gravel	1	20	
GRAVEL, med	20	44	
Cemented clay & gravel	44	46	
GRAVEL, med water	47	47	27
STRATUM			

Work started 2/17 1978 Completed 2/19 1978
Date well drilling machine moved off of well 2/19 1978

Drilling Machine Operator's Certification:
This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
[Signed] Froy W. Mutschler Date 2/25 1978
(Drilling Machine Operator)
Drilling Machine Operator's License No. 80

Water Well Contractor's Certification:
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Name M-H Well Drilling Inc.
(Person, firm or corporation) (Type or print)
Address 7535 N.W. Oak Brook Dr. Ore.
[Signed] Froy W. Mutschler
(Water Well Contractor)
Contractor's License No. 237 Date Feb 25 1978