## 9-

## STATE OF OREGON WATER WELL REPORT (as required by ORS 537.765)

ORIGINAL & FIRST COPY - WATER RESOURCES DEPARTMENT

LANE 2741

## RECEIVED

MAR 27 1992

20s/5w/1cc

2 7 1992 (START CARD) # 37596

(1) OWNER: Well Number # 4 (VATER	(9) LOCATION OF WELL by legal description:	
Name King Estate Vinesayda	County Latitude Longitude	
Address 304/4 Lo Blew Rd	Township 20S N or S. Range 5W E or W. WM. Section 1 SW 4 SW 4	
City Eugene State On Zip 97 405		
(2) TYPE OF WORK:	Tax Loi 200502L 70/ Block Subdivision Street Address of Well (or nearest address) 27607 Occhard Lan	
New Well Deepen Recondition Abandon	Street Address of Well (or nearest address 2760; Chamber	Con F F1
(3) DRILL METHOD:	(10) STATIC WATER LEVEL:	
Rotary Air	616" ft. below land surface. Date 3-18	7-92
Other	Artesian pressure lb, per square inch. Date	
(4) PROPOSED USE:  Domestic   Community   Industrial   Irrigation	(11) WATER BEARING ZONES:	
<u> </u>	(II) WATER BEHILING ZONES.	
Thermal Injection Other	Depth at which water was first found	
Special Construction approval  Yes No Depth of Completed Well 376 ft.	before at which was the most agent.	
Explosives used Yes No Type Amount	From To Estimated Flow Rate	SWL
-	96/ 375 60	616
HOLE SEAL Amount Diameter From To Material From To sacks or pounds		
10 0 38/3 Cement & 0 38/2 12 +5/2		
Bentrito an Bentonte		
6 382 375	(12) WELL LOG:	
	Ground elevation	· · · · · · · · · · · · · · · · · · ·
How was seal placed: Method $\square$ A $\square$ B $\bowtie$ C $\square$ D $\square$ E		
Other	Material From To	SWL
Backfill placed from ft. to ft. Material	top soil 0 4	
Gravel placed from ft. to ft. Size of gravel	Red Clay 4 14	ļ
(6) CASING/LINER:	yellow Clay 14 26	
Diameter From To Gauge Steel Plastic Welded Threaded	Weathered Sand Stone 26 32	
Casing: 6 +1 -39 ,250 X	Blue gray sandstone & Shale	11111
	32 375	6164
		-
Liner:		
		1
Final location of shoe(s)		
PERFORATIONS/SCREENS:		-
Perforations Method		
		1
Slot Tele/pipe From To size Number Diameter size Casing Liner		
	·	
(8) WELL TESTS: Minimum testing time is 1 hour	Date started	2
Pump Bailer Air Slowing Artesian	(unbonded) Water Well Constructor Certification:	
•	I certify that the work I performed on the construction, alteration, or	r abandor
Yield gal/min Drawdown Drill stem at Time	ment of this well is in compliance with Oregon well construction standards	. Material
60 313. 375 1 hr.	used and information reported above are true to my best knowledge and	oener.
	WWC Number	
	Signed 30 Date	
	(bonded) Water Well Constructor Certification:	
Temperature of Water 53° F Depth Artesian Flow Found I accept responsibility for the construction, alteration, or abandonment work pe		
Was a water analysis done? Yes By whom	formed on this well during the construction dates reported above. All work performe during this time is in compliance with Oregon well construction standards. This repo	
Did any strata contain water not suitable for intended use?   Too little	l is true to the best of my knowledge and belief.	- 1 D/2
☐ Salty ☐ Muddy ☐ Odor ☐ Colored ☐ Other	WWC Number	6 X
Depth of strata:	Signed On Date 3-20	70