STATE OF OREGON

WATER WELL REPORT (as required by ORS 537.765)



185/11W/15

(START CARD) #<u>668/9</u>

(1) OWNER: Well Number	(9) LOCATION O	F WELL by leg	al descrip	otion:		
Address 07790 Hwy 126	Township 18	Latitude N or Range_	L	ongitude	E 6	na.
City Florence State Oregon Zip 97939	Section 15	N ORS Range_	14	1	_E or w	ŲWΜ.
(2) TYPE OF WORK:		LotBlog				
New Well Deepen Recondition	l a constant and a co	ell (or nearest addres			, 101011	
(3) DRILL METHOD:						
X Rotary Air Rotary Mud Cable	(10) STATIC WAT					<u>=</u>
Uther	7 ft. b					<u> 28-99</u>
(4) PROPOSED USE:	Artesian pressure	lb. per	square inch.	Date		
Domestic Community Industrial WATER RESOURCES D. Thermal Injection Other SALEM, OREGON	(41) WATER BEA	RING ZONES:				
		<u> </u>	± 170	9		-
(5) BORE HOLE CONSTRUCTION:	Depth at which water w	as first found	- /60	•		
Special Construction approval Yes No Depth of Completed Well ft. Explosives used Yes No Type Amount	From	То	Vatima	ted Flow	. Data	CYYT
	/68 /70			timated Flow Rate		SWL
HOLE SEAL Amount Diameter From To Material From To sacks or pounds	7 5 7 7 5		2	<i>≈</i> 4/ 1		
/0 6 30 Cement 6 30 8					· · ·	
7 9 9 9 9 9						
6 30 500	(12) WELL LOC.					
	(12) WELL LOG:	Ground elev	ration			
How was seal placed: Method \square A \square B \square C \square D \square E		Ground Cicy	ation		-	
Other		Material		From	То	SWL
Backfill placed from ft. to ftMaterial	Top 5016			0	2	
Gravel placed from ft. to ft. Size of gravel	B/42 54	endsTove l	ned Hid	2	45	
(6) CASING/LINER:	GLEY SM		8.4	45	162	
Diameter From To Gauge Steel Plastic Welded Threaded	Blue Sm		4 4	162	297	
Casing: 6 + 1 30 .250 X \		SANDSTONE	lb	297	362	
	GREY SAUCE			362	500	
	•					
		F ·				
Liner:						
Final location of shoe(s)						
(7) PERFORATIONS/SCREENS: Perforations Method						
- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1		**				
•••						
Slot Tele/pipe From To size Number Diameter size Casing Liner	-					
		Line.				
				-		
		-				
		-				
(8) WELL TESTS: Minimum testing time is 1 hour					-	
	Date started 6-23	-94 C	mpleted	<u> </u>	15-	99
Pump Bailer Air Artesian	(unbonded) Water Well		^			
	I certify that the wo	rk I performed on the	constructio	n, altera	tion, or	abandon-
Yield gal/min Drawdown Drill stem at Time	ment of this well is in con	mpliance with Oregon	well constru	etion sta	indards. I	Materials
21/4 497 1 hr.	used and information rep	ported above are true	to my best	knowled	ge and b	elief.
			V	VWC N	ımber	
	Signed	-	D	ate		
	(bonded) Water Well C	onstructor Certifics				
Temperature of Water	I accept responsibilit	y for the construction	, alteration, o	or aband	onment v	ork per-
Was a water analysis done? Yes By whom	formed on this well during	g the construction dat	es reported a	bove. Al	l work p	erformed
Did any strata contain water not suitable for intended use? Too little	during this time is in comis true to the best of my	puance with Oregon which was believed the property of the prop	£		. *	
Salty Muddy Odor Colored Other			,		umber	
Depth of strata:	Signed 6 0 0	King			-28	
ORIGINAL & FIRST COPY - WATER RESOURCES DEPARTMENT SECON	D COPY - CONSTRUC	OR THIRD C	OPY - CUS	TOMER	98	09C 10/91