RECEIVED

STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765)

DEC 1 17995

(START CARD) # 76735

Instructions for completing this report are on the last page of this form.	Macoonstant in the second section in the section in the second section in the section in the second section in the sectio
(1) OWNER: Well Number	(9) LOCATION OF WELL by legal description:
Name Welsh Development Co.	County Lane Latitude Longitude
Address 15892 Pasadena Ave., Suite 220	Township 18 S N or S Range 3 W E or W. W.M.
	Section 21 3E 1/4 NE 1/4
(2) TYPE OF WORK	Tax Lot lookes Lot Block Subdivision
New Well Deepening Alteration (repair/recondition) Abandonment	Street Address of Well (or nearest address) 32475 Dillard Rd.
(3) DRILL METHOD:	Evane DR
Rotary Air Rotary Mud Cable Auger	(10) STATIC WATER LEVEL:
	ft. below land surface. Date
Other (4) PROPOSED USE:	Artesian pressure 2 lb. per square inch. Date 10/5/95
	(11) WATER BEARING ZONES:
Domestic Community Industrial Irrigation Thermal Injection Livestock Other	
(5) BORE HOLE CONSTRUCTION:	Depth at which water was first found
Special Construction approval Yes No Depth of Completed Well 200 ft.	
Explosives used Yes No Type Amount	From 10 Estimated Flow Rate SWL
HOLE SEAL	54 55 10 gpm
nobb	74 77 +215 gm
Diameter From To Material From To Sacks or pounds O 51 Cerewit w 0 51	
4% berdonik	
6" 51 200'	
	(12) WELL LOG:
How was seal placed: Method A B C D E	Ground Elevation
Other ft. to ft. Material	Material From To SWL
Gravel placed from ft. to ft. Size of gravel	Topsoil D 6
(6) CASING/LINER:	Clay vellow 6 13
Diameter From To Gauge Steel Plastic Welded Threaded	sand + clay, green-gray 12 46
Casing: 6" +1 51 250 X	1 + A 1 of 1 of 1
Casing Ca	tuff med-soft, blue green 64 MI
	tuff, hard, black-green-gray 171 113
	tuff, hard, black-green 173 174
Liner:	basatt, hard black 174 182 tuff, mal-soft, gray blue 182 187
	tuff, mal-soft, gray blue 182 187
Final location of shoe(s)	basalt, hard, black 187 200
(7) PERFORATIONS/SCREENS:	
Perforations Method	
Screens Type Material	
Slot Tele/pipe From To size Number Diameter size Casing Liner	
From 10 size indimen	
	a landa c
(8) WELLTESTS: Minimum testing time is 1 hour	Date started 9/25/95 Completed 9/27/95
well output may fluctuate Flowing	(unbonded) Water Well Constructor Certification:
Pump Bailer X Air Artesian	I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards.
Yield gal/min Drawdown Drill stem at Time	Materials used and information reported above are true to the best of my knowledge
225 200' 200' 1hr.	and belief.
	WWC Number
	SignedDate
Temperature of water Depth Artesian Flow Found	(bonded) Water Well Constructor Certification:
Was a water analysis done? Yes By whom	I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work
Did any strata contain water not suitable for intended use? Too little	harfarmed during this time is informaliance with Oregon water supply Well
Salty Muddy Odor Colored Other	construction standards. This sport is true to the bast of my knowledge and belief. WWC Number 636,
Depth of strata:	C 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	Signed hesterson WELL Dearing Co Date 10/12/95
ODICINAL & FIRST CODY WATER RESOURCES DEPARTMENT S	ECOND COPY-CONSTRUCTOR THIRD COPY-CUSTOMER