STATE OF OREGON

WATER WELL REPORT

(as required by ORS 537.765)

ORIGINAL & FIRST COPY - WATER RESOURCES DEPARTMENT

	1 /	,	11	
Cons'	teuct.	au	<i>=</i> =-,	5

(START CARD) # (23848) QC

THIRD COPY - CUSTOMER

(1) OWNER: (9) LOCATION OF WELL by legal description: Well Number Florence Name County LANE Latitude N or S. Range Florence State TYPE OF WORK: New Well Deepen Recondition ☐ Abandon Street Address of Well (or nearest address) \_ (3) DRILL METHOD: Rotary Mud ☐ Rotary Air Cable (10) STATIC WATER LEVEL: Other 12.1 ft. below land surface. (4) PROPOSED USE: Artesian pressure lb. per square inch. Community Industrial (11) WATER BEARING ZONES: ☐ Domestic ☐ Irrigation Other ☐ Injection — (5) BORE HOLE CONSTRUCTION: Depth at which water was first found \_\_\_\_ Special Construction approval Yes No. Depth of Completed Well ft. Explosives used Yes No Type\_\_\_ From Estimated Flow Rate SWL HOLE Diameter From Amount Material sacks or pounds 12 10 SEAL (12) WELL LOG: Ground elevation How was seal placed: Method A □в  $\square$  D Other \_ SWL Material From To Beon Backfill placed fr 26 Gravel placed from ft. to Size of gravel (6) CASING/LINER: 53 Diameter Gauge | Steel Plastic Welded Threaded Liner: Final location of shoe(s) (7) PERFORATIONS/SCREENS: Method Material Stainless WIRE 0 Tele/pipe From Diameter Number Casing Liner 76.1 1 П 008 1995 WATER RESOURCES DEPT SALEM, CREGON (8) WELL TESTS: Minimum testing time is 1 hour Date started Completed Flowing Pump ☐ Bailer ☐ Air (unbonded) Water Well Constructor Certification: Artesian I certify that the work I performed on the construction, alteration, or abandon-Yield gal/min Drawdown Drill stem at Time ment of this well is in compliance with Oregon well construction standards. Materials used and information reported above are true to my best knowledge and belief. 1 hr. 5 hr WWC Number Signed (bonded) Water Well Constructor Certification: Temperature of Water \_ Depth Artesian Flow Found I accept responsibility for the construction, alteration, or abandonment work per-Was a water analysis done? Yes By whom CWD Co. formed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon well construction standards. This report Did any strata contain water not suitable for intended use? Salty Muddy Odor Colored Other


## STATE OF OREGON WATER RESOURCES DEPARTMENT

REQUEST FOR WRITTEN APPROVAL TO USE CONSTRUCTION METHODS NOT INCLUDED IN THE RULES AND REGULATIONS PRESCRIBING GENERAL STANDARDS FOR THE CONSTRUCTION AND MAINTENANCE OF WELLS IN OREGON

Before approval can be considered the following questions must be answered.

Requests shall be submitted to the Watermaster Division, 3850 Portland Road, NE, Salem, OR 97310. 与指数字等数据的 8/4/94 Date: CHRISTENSEN WELL DRILLING CO. Well Constructor: 33132 COLEMAN RD. EUGENE, OREGON 97401 1/4 of Section 23 (1) Location of Well: SE 1/4 NE Township 18S , Range 12W . LANE County. Address at well site or nearest known address: CITY OF FLORENCE FILTER PEANT. CITY OF FLORENCE (2) Name and address of Landowner: P.O. BOX 340. 250 HWY 101 NORTH 97439 FLORENCE, OREGON (3) The distance to the nearest well and septic drainfield: NONE IN WELL FIELD AREA. (4) The unusual conditions existing at the well site: SAND DUNE WELL FIELD FFR 1.6. 1995 WATER RESOURCES DEPT. SALEM, OREGON (5) The proposed construction methods that the well constructor or landowner constructing the well believes will be adequate for his particular well: CONSTRUCTION OF WELL WITHOUT A SURFACE SEAL.

(6) A diagram showing the pertinent features of the proposed well design and construction (attach additional sheet if necessary):



For Water Resources Department Use Dnly

Date:

Approved by:

Denied by:

Remarks:

RECEIVED

FEB 1.6 1995

WATER RESOURCES DEPT.

NOTE: .

SALEM, OREGON

- (1) If approval, all other phases of construction must be in compliance with State Well Construction Standards.
- (2) If it should be determined at some future date that the well, due to its construction, is offering an avenue for pollution of the ground water body, it will be necessary for you to return to the site to correct any well deficiences.

84150