STATE OF OREGON Water Supply Well Report (as required by ORS 537.765)

LANE59260

Received Date: 02 / 05 / 2001

Well ID Tag # L 46273

Start Card # 137742

| Instructions for completing this report are on the last page of this form. | Start Card # 13//42 | |
|--|---|---------|
| (1) Owner Well Number: 1 | (9) Location of Hole by legal description | |
| Name: GARY FOGLIO | County: LANE Latitude: Longitude: | |
| | Township: 19.00 S Range: 12.00 W | |
| Street: 84811 HWY 101 | Section: 2 NWSW Lot: Block: | |
| City: FLORENCE State: OR Zip Code: 97439 | Tax Lot: 2700 Subdivision: | |
| (2) Type of Work X New Alter (Recondition) Alter (Repair) Deepening Abandonment | Street Address of Well (or nearest address): 05170 GRAND, FLORENCE, OREGON BIG SPUCE MOBILE H | 101 |
| | MAP, with location identified, must be attached. | |
| (3) Drill Method X Rotary Air Rotary Mud Cable Auger Other: | (10) Static Water LevelFeet below land surface:48.0Date: 02 / 02 / 2001Artesian Pressure:Date: | |
| (4) Proposed Use | (11) Water Bearing Zones | |
| X Domestic Community Industrial Irrigation Injection | Depth at which water was first found: 48.00 ft. | |
| Livestock Thermal Other: | From To est Flow swl | |
| (E) Para Hala Construction | 140.00 185.00 50.00 48 | |
| (5) Bore Hole Construction | | |
| Special Standards: Depth of completed well: 185.00 ft. | (12) Well Log Ground Elevation: | |
| Explosives Used: Amount: Type: | Material From To sw | |
| Hole Seal | TOP SOIL 0.00 5.00 | <u></u> |
| Diameter From To Mtrl From To Sacks/lbs | YELLOW SAND 5.00 70.00 | |
| 10.00 0.00 20.00 CE 0.00 20.00 15 | GRAY SAND 70.00 90.00 | |
| 6.00 20.00 145.00 | | 48 |
| 5.00 145.00 185.00 | GRAY SAND 178.00 185.00 | 48 |
| How was seal placed? C Other: | | |
| Back fill placed from: Material: | | |
| Filter pack from: Size: | | |
| (6) Casing / Liner | | |
| Csng/ Shoe Shoe | | |
| Liner Diameter From To Gauge Mtrl Weld Thrd at used L 4.50 0.00 185.00 PVC P X | | |
| 2 4.00 0.00 100.00 1 V | | |
| | | |
| | | |
| (7) Perforation / Screens | | |
| Perforations: Csng/ | | |
| Mtrl From To Width Height #Slots Dia. t/pSize Lnr Method | | |
| Caraona | | |
| Screens: Mtrl From To S Size #Slots Dia. t/pSize Type Gauge | | |
| Will From To Collect World Did. Upoles Type Gaage | | |
| (8) Well Tests (Minimum testing time is one hour) | | |
| (b) Well rests | Date Started: 01 / 26 / 2001 Date Completed: 02 / 02 / 2001 | |
| Type Yield Units Drawdown Stem at Duration A 50.00 G 137.00 185.00 1.00 | • | |
| A 00.00 C 107.00 100.00 1.00 | (unbonded) Water Well Constructor Certification: I certify that the work I perform on the construction, alteration, or abandonment | t |
| | of this well is in compliance with Oregon well construction standards. Materials | s |
| Tomporature of Water: FC E | used and information reported above are true to the best knowledge and belief. Signed by: ALAN E MCCRACKEN WWC #:1641 | |
| Temperature of Water: 56 F Was water analysis done? Depth of artesian flow: | (bonded) Water Well Constructor Certification: | |
| by whom? | accept responsibilty for the constuction, alteration, or abandonment work | |
| Did any strata contain water unsuitable for use? Too Little Salty | performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon well construction | |
| Muddy Odor Colored other: | standards. This report is true to the best of my knowledge and belief. | |
| Depth of strata: | Signed by: CASEY JONES JR WWC #: 1541 CASEY JONES WELL DRILLING Phone: 541-747- | 2806 |