

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

(Do not write above this line)

LANE 5989

State Well No. 15/AW-7CC

State Permit No.

RECEIVED STATE ENGINEER MAY 19 1969

G 5155

(1) OWNER:

Name EARL + MARION JAGER.

Address JAGER LN. JUNCTION CITY ORE 97448

(2) TYPE OF WORK (check):

New Well [X] Deepening [ ] Reconditioning [ ] Abandon [ ]

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [ ] Driven [X] Cable [ ] Jetted [ ] Dug [ ] Bored [ ]

(4) PROPOSED USE (check):

Domestic [ ] Industrial [ ] Municipal [ ] Irrigation [X] Test Well [ ] Other [ ]

CASING INSTALLED:

5" Diam. from 0 ft. to 27 ft. Gage 1258

PERFORATIONS:

Type of perforator used Acetylene Perforated? [X] Yes [ ] No Size of perforations 1/4 in. by 4 in. 32 perforations from 22 ft. to 27 ft.

(7) SCREENS:

Well screen installed? [ ] Yes [X] No

Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 11 ft. below land surface Date 5/10/69

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? [X] Yes [ ] No If yes, by whom? Driller Yield: 300 gal./min. with 9 ft. drawdown after 2 hrs.

(10) CONSTRUCTION:

Well seal—Material used Bentonite Depth of seal 6 ft. Diameter of well bore to bottom of seal 10 in. Were any loose strata cemented off? [ ] Yes [X] No

(11) LOCATION OF WELL:

County LANE Driller's well number 1/4 Section 7 T. 15 R. 4 W.M. Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing Depth drilled 27 ft. Depth of completed well 27 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with columns: MATERIAL, From, To, SWL. Rows include: Top soft Brown Clay (0-4), Brown clay + coarse gravel (4-14), Packed sand & gravel (14-21), Coarse sand & gravel, water bearing (21-26), yellow clay (26-27). Note: Well to be tied in with existing well.

Work started 5/9 1969 Completed 5/10 1969 Date well drilling machine moved off of well 5/10 1969

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] O. B. Nye Date 5/10 1969 (Drilling Machine Operator)

Drilling Machine Operator's License No. 211

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME O. B. Nye (Person, firm or corporation) (Type or print)

Address JUNCTION CITY ORE

[Signed] O. B. Nye (Water Well Contractor)

Contractor's License No. 151 Date 5/10 1969