| | EGELVER | | • |
|--|--|--|--|
| NOTICE TO WATER WELL CONTRACTOR The original and first copy | MAY 9 1966 - 5317 | 10/4 1 | 9 dec |
| of this report are to be filed with the | ELL REPORTNEER State Well No. 15 | 1/4 6 | , - 9 |
| STATE ENGINEER, SALEM, ORECON 97310 Y 4 1900 STATE O within 30 days from the date | F OREGON DECOM | ·/ | |
| of well completion TE FNGINEER | pe or print) #4 State Permit No | | ************************************** |
| (1) OWNER: SALEM OREGON | (11) WELL TESTS: Drawdown is amount lowered below static le | water lev | rel is |
| Name Edward 13. Sprawn | Was a pump test made? Yes \(\subseteq No \) If yes, by whom? | | |
| Address (V. U. 136V X37/ | Yield: 306 gal./min. with H ft. drawdow | vn after | 2 hrs. |
| (2) LOCATION OF WELL: | " " " | | |
| A 6117 | Poilon toot | | |
| County Driller's well number | Artesian flow g.p.m. Date | | |
| 14 14 Section T. 15 S. H. W.M. Bearing and distance from section or subdivision corner | Temperature of water 54 Was a chemical analysis | made? [] | Yes 🗹 No |
| pearing and distance from section of subdivision corner | (12) WELL LOG: Diameter of well below ca | | |
| | Depth drilled 27 ft. Depth of completed we | . A . | 7 |
| | Formation: Describe by color character size of material and structure and | | |
| | show thickness of aquifers and the kind and nature of stratum penetrated, with at least one entry for each c | tha matar | ial in cach |
| (a) Type of worth | MATERIAL | FROM | то |
| (3) TYPE OF WORK (check): | Top Soil + Time Sand | 0 | $\vec{\Pi}$ |
| New Well Deepening Reconditioning Abandon abandonment, describe material and procedure in Item 12. | | | |
| (4) PROPOSED USE (check): (5) TYPE OF WELL: | Darked Sand | 11 | 17 |
| Domestic Industrial Municipal Rotary Driven | | | - |
| Irrigation Test Well Other Dug Bored | packed gravel, lourse | 17 | 21 |
| (6) CASING INSTALLED: Threaded Welded | Water bearing carred | 21 | 27 |
| 5" Diam. from 6 ft. to 27 ft. Gages 250 | | | |
| ft. to | | | |
| | | | |
| (7) PERFORATIONS: Perforated? ★ Yes □ No | | | |
| Type of perforator used Acelal | | | |
| Size of perforations //4 in. by 4 in. | | í | |
| perforations from | | | |
| perforations from ft. to ft. | | | |
| perforations fromft. toft. perforations fromft. toft. | | | |
| perforations from ft. to ft. | | - | |
| (0) COPERIG. | - 1 | | |
| wen screen instance. I ies in No | | | |
| Manufacturer's Name | | | |
| ım. Slot size Set from ft. to ft. | | | |
| Diam. Slot size Set from ft. to ft. | Work started 5/2 19 6 Completed 5/ | 2 | 1966 |
| (9) CONSTRUCTION: | Date well drilling machine moved off of well 5/ | <u>2/6</u> | 19 |
| \mathcal{O}_{\cdot} | (13) PUMP: | | - |
| Well seal-Material used in seal Bentonik | Manufacturer's Name | ••••• | •••••• |
| Depth of seal ft. Was a packer used? Diameter of well bore to bottom of seal in. | Type: H.P. | | |
| Were any loose strata cemented off? \(\sigma\) Yes \(\frac{\frac{1}{2}}{2}\) No Depth | Water Well Contractor's Certification: | | |
| Was a drive shoe used? Tyes No | | . 1 /1 | |
| Was well gravel packed? ☐ Yes > No Size of gravel: | This well was drilled under my jurisdiction a true to the best of my knowledge and belief. | nd this | report is |
| Gravel placed from ft. to ft. | NAME O. B. NVE | | |
| Did any strata contain unusable water? 🗌 Yes 💢 No | (Person firm or corporation) (Typ | e or print) | () in |
| Type of water? depth of strata | Address JUNCTION CITY | y O | 11/2 |
| Method of sealing strata off | Drilling Machine Operator's License No. 2// | ~ | |
| (10) WATER LEVELS: | (1) (2) (2) | ************************************** | ••••• |
| Static level 8 ft. below land surface Date 5%/66 | [Signed] (Water Well Contractor) | | •••••• |
| Artesian pressure lbs. per square inch Date | Contractor's License No. 15/ Date 5/2 | | 10 66 |
| | The state of the s | | ., 10 |