of this report are to be MAR 25 1969 STATE OF OREGON

filed with the MAR 2 5 1969 STATE OF OREGON STATE ENGINEER, SALEM, OREGON 97310 Within 30 days from the data TE ENGINEER (Do not write above this line) of well completion. SALEM. OREGON

State Permit No.

(1) OWNER:	(11) LOCATION OF WELL:			
Name JAMES GRIFFITH	County LANE Driller's well no	umbon	4	
	NE 14 SE 14 Section 18 T. 15.		μ'	717 3.5
Address 245 HOWARD LANE TUNCTION CITY,	Bearing and distance from section or subdivision corner			
(2) TYPE OF WORK (check):	Searing and distance from Section of Subdivision	ir corner	**	-4-
New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐				
If abandonment, describe material and procedure in Item 12.				
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(12) WELL LOG: Diameter of well below casing			
Rotary Driven Domestic Industrial Municipal	266			
Dug Bored Irrigation Test Well Other	70.3			
CASING INSTALLED: Threaded Welded	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated,			
6 " Diam. from O ft. to 2.6 2 ft. Gage . 250	with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.			
" Diam. fromft. toft. Gage			1	
"Diam. from ft. to ft. Gage	MATERIAL	From	То	SWL
A) DEDEOD A BLONG	Top Soil	0		-
remotated in tes [] 140.	SMALL S AND + GRAVEL-TIGHT	- 6	6	· · · · · · · · · · · · · · · · · · ·
Type of perforator used CUTTING TORCH	LOOSE SAND	15	15	10
Size of perforations 3/2 in. by 6 in.	SAND + SMALL G-RAVEL-LOOSE	20	26	10
16 perforations from 22 1/2 tt. to 26 1/2 tt.	JAND + GRAVEL WITH CLAY	26	26-5	-
perforations from				
perforations fromft. toft.				
perforations fromft. toftft.				
	5 70 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			<u> </u>
(7) SCREENS: Well screen installed? Yes No				
Manufacturer's Name				· · · · · · · · · · · · · · · · · · ·
Type				
Diam. Slot size Set from ft. to ft.				<u> </u>
Diam. Slot size Set from ft. to ft.	e 2			
(8) WATER LEVEL: Completed well.				
Static level / Oft. below land surface Date 3/16/69				
sian pressure lbs. per square inch Date				
(9) WELL TESTS: Drawdown is amount water level is				
lowered below static level				· · · · · · ·
Was a pump test made? Ves No If yes, by whom? DRILLER	Work started 3-/ 1969 Complete			1969
Yield: 60 gal./min. with 0 ft. drawdown after / hrs.		.a	3-16	1969
" " " " " " " " " " " " " " " " " " " "	Date well drilling machine moved off of well		3-2	3 19 6 9
" " "	Drilling Machine Operator's Certification:			
Bailer test gal./min. with ft. drawdown after hrs.	This well was constructed under my dir rials used and information reported above	rect supe e are ti	ervision. rue to m	Mate-
Artesian flow g.p.m. Date	knowledge and belief.			
Temperature of water \(\sum_{\text{g}}^{\text{O}}\) Was a chemical analysis made? \(\sum_{\text{V}}\) Yes	[Signed] Clayton Haas	Date 3	-24	196.9
(10) CONSTRUCTION:	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)			· • •
Well seal-Material used CEMENT	Drilling Machine Operator's License No	70	Y	
Depth of seal	Water Well Contractor's Certification:			
Diameter of well bore to bottom of seal	This well was drilled under my jurisdiction and this report is			
Were any loose strata cemented off? Yes No Depth	true to the best of my knowledge and belief.			
Was a drive shoe used? ☐ Yes ↑ No	NAME CLAY'S WELL PRILL'NG- (Person, firm or corporation) (Type or print)			
Did any strata contain unusable water? Yes No				
Type of water? depth of strata	Address ROUTE 2 Box 411B	-40F	NEGO	KEGAN Y Z
Method of sealing strata off	[Signed] Clayton Hags	_	•	
Was well gravel packed? Yes No Size of gravel:	(Water Well Contract	or)		
Gravel placed from ft. to ft.	Contractor's License No. 502 Date	3-2	4 ,	1969