NOTICE TO WATER WELL CONTRACTOR MAY 16 1966

The original and first copy of this report are to be STATE ENGWATER WELL REPORT filed with the STATE ENGWATER WELL REPORT STATE ENGINEER, SALEM, OREGON \$7310' STATE OF OREGON within 30 days from the date of well completion.

	•		State	Well	No.	15/	41	U ·	-1			ĺ
--	---	--	-------	------	-----	-----	----	-----	----	--	--	---

within 30 days from the date (Please type of well completion.	G-3563 State Permit No	
(1) OWNER:  Name BERNARD SLENN  Address 6601 LINGO LANE  LUNCTION CITY ORE	(11) WELL TESTS: Drawdown is amount water level lowered below static level Was a pump test made? May Yes □ No If yes, by whom?  Yield: 300 gal./min. with 9 ft. drawdown after	vel is  the hrs.
(2) LOCATION OF WELL:	" " "	"
County ANE Driller's well number	Bailer test gal./min. with ft. drawdown afte  Artesian flow g.p.m. Date	r hrs.
1/4 1/4 Section 19 T. 15 S.R. H.W. W.M.	Temperature of water 55 Was a chemical analysis made?	Yes 🙀 No
Bearing and distance from section or subdivision corner	(12) WELL LOG: Diameter of well below casing	
	Depth drilled 26 ft. Depth of completed well 2	G ft.
	Formation: Describe by color, character, size of material and str show thickness of aquifers and the kind and nature of the mate stratum penetrated, with at least one entry for each change of	ucture, and rial in each f formation.
(3) TYPE OF WORK (check):	MATERIAL FROM	то
Well  Deepening  Reconditioning  Abandon	Top soil + Brown Clay 0	_5
A Sandonment, describe material and procedure in Item 12.	Bolomera Clark Gravel 5	111
(4) PROPOSED USE (check): (5) TYPE OF WELL:		
Domestic   Industrial   Municipal   Rotary   Driven	packed sand+ gravel !	121_
Irrigation Test Well Other Dug Bored	Water bearing gravel 21	26
(6) CASING INSTALLED: Threaded Welded		
5 "Diam, from tt. to 46 ft. Gage 1256		
"Diam from ft. to ft. Gage		
"Diam. from		
(7) PERFORATIONS: Perforated? Yes I No		
Type of perforator used Acetykene		
Size of perforations //4 in. by # in.  574445 in. by # in.  ft. to2.6		1
perforations from ft. to ft.		<del> </del>
perforations from ft. to ft.		1
ft. to ft.		
perforations from ft. to ft.		
(8) SCREENS: Well screen installed?   Yes No		-
Manufacturer's Name		
Model No.  Slot size Set from ft. to ft.		
Diam. Slot size Set from ft. to ft.	Work started 5 / / 3 1966 Completed 5 / / 3	1966
(9) CONSTRUCTION:	Date well drilling machine moved off of well 5//3	1966
Batis	(13) PUMP:	
Well seal—Material used in seal	Manufacturer's Name	
Diameter of well bore to bottom of seal	Type: H.P	
Diameter of well bore to bottom of sealin.  Were any loose strata cemented off?   Yes No Depth	Water Well Contractor's Certification:	
Was a drive shoe used? ☐ Yes ▼No	This well was drilled under my jurisdiction and thi	s report is
Was well gravel packed?   Yes No Size of gravel:	true to the best of my knowledge and belief.	
Gravel placed from ft. to ft.	NAME OLIS NY E	*******************
Did any strata contain unusable water?   Yes No	(Type or pri	<b>プ</b> ト
Type of water? depth of strata	Address XDNC 10N C 1 X Of	·I
Method of sealing strata off  (10) WATER LEVELS.	Drilling Machine Operator's License No	***************************************
(10) WATER LEVELS:	[Signed] O.B. Whye	
Static level 8 ft. below land surface Date 5//3/66	(Water Well Contractor)	1
Artesian pressure lbs. per square inch Date	Contractor's License No. 15/15 Date 5/15/9	<b></b> , 19