

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310

within 30 days from the date of well completion.

RECEIVED WATER WELL REPORT STATE OF OREGON MAY 2 1968 STATE ENGINEER SALEM OREGON

LANE 6157 15/4w-20

(1) OWNER:

Name Mr. Martin Strome (Well #7) Address 1425 Hy 99 East, Junction City, Ore.

(2) TYPE OF WORK (check):

New Well [x] Deepening [ ] Reconditioning [ ] Abandon [ ]

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [ ] Driven [x] Cable [ ] Jetted [ ] Dug [ ] Bored [ ]

(4) PROPOSED USE (check):

Domestic [ ] Industrial [ ] Municipal [ ] Irrigation [x] Test Well [ ] Other [ ]

(5) CASING INSTALLED:

5" Diam. from 0 ft. to 21 ft. Gage .285

(6) PERFORATIONS:

Perforated? [x] Yes [ ] No. Type of perforator used torch Size of perforations 3/8 in. by 6 in. 34 perforations from 21 ft. to 16.6 ft.

(7) SCREENS:

Well screen installed? [ ] Yes [x] No Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 5'3" ft. below land surface Date 4-4-68 Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level Was a pump test made? [x] Yes [ ] No If yes, by whom? Driller Yield 300 gal./min. with 18 ft. drawdown after ; 1 hrs. Bailer test gal./min. with ft. drawdown after hrs. Artesian flow g.p.m. Date Temperature of water Was a chemical analysis made? [ ] Yes [x] No

(10) CONSTRUCTION:

Well seal—Material used Bentonite Depth of seal 6 Diameter of well bore to bottom of seal 8 in. Were any loose strata cemented off? [ ] Yes [x] No Depth Was a drive shoe used? [ ] Yes [x] No Did any strata contain unusable water? [ ] Yes [x] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [ ] Yes [x] No Size of gravel: Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County Lane Driller's well number 1/4 1/4 Section 20 T. 15S R. 4W W.M. Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing 0 Depth drilled 24 ft. Depth of completed well 21 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with columns: MATERIAL, From, To, SWL. Rows include soil, sand & large gravels, sand & small gravels, tight sand & gravels w/clay.

Work started 4-3 1968 Completed 4-4 1968 Date well drilling machine moved off of well 4-4 1968

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Carl Fitcher Date 4-5, 1968 (Drilling Machine Operator)

Drilling Machine Operator's License No. 386

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Fitcher Pump & Drilling Co. (Person, firm or corporation) (Type or print)

Address 255 West 5th St., Junction City, Ore.

[Signed] Carl Fitcher (Water Well Contractor)

Contractor's License No. 494 Date 4-5, 1968