

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

RECEIVED AUG 18 1967 STATE ENGINEER SALEM, OREGON

WATER WELL REPORT

STATE OF OREGON

LANE 6159

State Well No. 15/4W-20

STATE ENGINEER, SALEM, OREGON, 97310 within 30 days from the date of well completion.

(Please type or print) (Do not write above this line)

State Permit No.

(1) OWNER:

Name Robert E. Bryson Address 102 Lingo Lane, Junction City

(2) TYPE OF WORK (check):

New Well [X] Deepening [] Reconditioning [] Abandon []

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [X] Driven [] Cable [] Jetted [] Dug [] Bored []

(4) PROPOSED USE (check):

Domestic [X] Industrial [] Municipal [] Irrigation [] Test Well [] Other []

(5) CASING INSTALLED:

35" Diam. from 0 ft. to 35 ft. Threaded [] Welded [X] Gage .250

(6) PERFORATIONS:

Perforated? [] Yes [X] No

Type of perforator used Toxic Mills Size of perforations 1/2 in. by 6 in. 138 perforations from 18'6" ft. to 33'6" ft.

(7) SCREENS:

Well screen installed? [] Yes [X] No

Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 16'6" ft. below land surface Date 8-2-67 Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? [] Yes [X] No If yes, by whom? Yield: gal./min. with ft. drawdown after hrs. Bailer test 300 gal./min. with 18 ft. drawdown after 1 hrs.

(10) CONSTRUCTION:

Well seal—Material used Bentonite Clay Depth of seal 18 ft. Diameter of well bore to bottom of seal 10 in. Were any loose strata cemented off? [] Yes [X] No Depth Was a drive shoe used? [X] Yes [] No Did any strata contain unusable water? [] Yes [X] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [] Yes [X] No Size of gravel: Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County Lane Driller's well number 1/4 Section 20 T. 5S R. 4W W.M. Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing 6

Depth drilled 35 ft. Depth of completed well 35 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with columns: MATERIAL, From, To, SWL. Rows include Top Soil, Soft Brown Sandy Clay, Cemented Sand & Gravel, Sand & Gravel, Sand Gravel & Clay, Cemented Sand & Gravel.

Work started 8-1-67 19 Completed 8-3-67 19

Date well drilling machine moved off of well 8-3-67 19

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Elwood B. Henderson Date 8-10-1967 (Drilling Machine Operator)

Drilling Machine Operator's License No. 435

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Casey Jones Well Drilling Co Inc (Person, firm or corporation) (Type or print)

Address Route 8 Box 695 Pleasant Hill

[Signed] Delbert S. Jones (Water Well Contractor)

Contractor's License No. 103 Date 8-10-67, 19