NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report are to be filed with the STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

RECEIVED JAN 21 1969 STATE ENGINEER SALEM OREGON

WATER WELL REPORT
STATE OF OREGON
(Please type or print)
(Do not write above this line)

LANE 6274
State Well No. 15/4w-30
State Permit No. WIDL 154621

(1) OWNER:
Name Mr. Clarry A. Ottosen
Address 1040 Gilman Drive, Colma, California

(2) TYPE OF WORK (check):
New Well ☒ Deepening ☐ Reconditioning ☐ Abandon ☐
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:
Rotary ☐ Driven ☒
Cable ☐ Jetted ☐
Dug ☐ Bored ☐

(4) PROPOSED USE (check):
Domestic ☐ Industrial ☐ Municipal ☐
Irrigation ☒ Test Well ☐ Other ☐

(5) CASING INSTALLED:
Threaded ☐ Welded ☒
5 " Diam. from +6" ft. to 24.6 ft. Gage .258
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

PERFORATIONS:
Perforated? ☒ Yes ☐ No.
Type of perforator used torch
Size of perforations 3/8 in. by 6 in.
46 perforations from 25 ft. to 20.6 ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:
Well screen installed? ☐ Yes ☒ No
Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.
Static level 12.6 ft. below land surface Date 9-30-68
Artesian pressure lbs. per square inch Date

(9) WELL TESTS:
Drawdown is amount water level is lowered below static level
Was a pump test made? ☒ Yes ☐ No If yes, by whom? Driller
Yield: 250 gal./min. with 7 ft. drawdown after 1 hrs.
" " " "
" " " "
Bailer test gal./min. with ft. drawdown after hrs.
Artesian flow g.p.m. Date
Temperature of water Was a chemical analysis made? ☐ Yes ☒ No

(10) CONSTRUCTION:
Well seal—Material used Ben tonite
Depth of seal 6 ft.
Diameter of well bore to bottom of seal 8 in.
Were any loose strata cemented off? ☐ Yes ☒ No Depth
Was a drive shoe used? ☐ Yes ☒ No
Did any strata contain unusable water? ☐ Yes ☒ No
Type of water? depth of strata
Method of sealing strata off
Was well gravel packed? ☐ Yes ☒ No Size of gravel:
Gravel placed from ft. to ft.

(11) LOCATION OF WELL:
County Lane Driller's well number
¼ ¼ Section 30 T. 15S R. 4W W.M.
Bearing and distance from section or subdivision corner

(12) WELL LOG:
Diameter of well below casing 0
Depth drilled 25 ft. Depth of completed well 25 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

MATERIAL	From	To	SWL
Soil	0	4	
Sand & Gravels(tight)	4	16	
Sand & gravels(loose)	16	25	12.6ft

Work started 9-30 19 68 Completed 9-30 19 68
Date well drilling machine moved off of well 9-30 19 68

Drilling Machine Operator's Certification:
This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
[Signed] Carl Ritchey (Drilling Machine Operator) Date Nov 7, 19 68
Drilling Machine Operator's License No. 386

Water Well Contractor's Certification:
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
NAME Pitcher Pump & Drilling Co. (Person, firm or corporation) (Type or print)
Address 255 W 5th, Junction City, Oregon
[Signed] Carl Ritchey (Water Well Contractor)
Contractor's License No. 494 Date Nov 7, 19 68

(USE ADDITIONAL SHEETS IF NECESSARY)