| STATE ENGINEER Salem, Oregon Well Reco | STATE WELL NO. 15/4W - 30K COUNTY LANE |
|--|---|
| 1,241 | APPLICATION-NO: GR_2156 |
| OWNER: H; O; Paeschke MAII ADDI | ING |
| LOCATION OF WELL: Owner's No. #3 STAT | AND E: Oregon |
| W 1/4 SE 1/4 Sec. 30 T. 15 S, R. 4 W, W.M. | |
| Bearing and distance from section or subdivision | |
| corner 2,000' N. and 1600' W. | |
| | |
| | |
| | |
| Altitude at well | l |
| | ** ** |
| TYPE OF WELL: Driven Date Constructed 1954 | |
| Depth drilled Depth cased 26 | Section |
| CASING RECORD: | |
| 4-Inches | |
| | |
| | |
| FINISH: | |
| Perforations from 22 to 26 | |
| | |
| AQUIFERS: | |
| Loam, soil, sand and gravel | |
| WATER LEVEL: | |
| 8-Feet | |
| | |
| PUMPING EQUIPMENT: Type Berkeley Centrifuga | 11 H.P. 48 |
| Capacity 600 G.P.M. | |
| WELL TESTS: Drawdown2 ft. after hours | Pumping 500 |
| Drawdown ft. after hours | |
| | |
| USE OF WATER Irrigation Temp. SOURCE OF INFORMATION CR-2066 | °F, 19 |
| DRILLER or DIGGER | |
| ADDITIONAL DATA: | |
| Log X Water Level Measurements Chemic | eal Analysis Aquifer Test |
| REMARKS: | |
| Loam top soil 4 22 Sand and small gravel 8 14 | |
| Coarse gravel 34 0 | , |