

RECEIVED

LANE 6356

NOTICE TO WATER WELL CONTRACTOR JUL 18 1966

The original and first copy of this report are to be filed with the

STATE ENGINEER WATER WELL REPORT

State Well No. 15/4W-31

STATE ENGINEER, SALEM, OREGON-97310 OREGON STATE OF OREGON (Please type or print) G-3728

State Permit No.

(1) OWNER: Name ARNOLD TRACER Address 945 OAKLEA DRIVE JUNCTION CITY ORE

(11) WELL TESTS: Drawdown is amount water level is lowered below static level Was a pump test made? Yes No If yes, by whom? Miller Yield: 300 gal./min. with 6 ft. drawdown after 4 hrs.

(2) LOCATION OF WELL: County LANE Driller's well number NW 1/4 NW 1/4 Section 31 T. 155 R. 4W W.M. Bearing and distance from section or subdivision corner

Baller test gal./min. with ft. drawdown after hrs. Artesian flow g.p.m. Date Temperature of water 54 Was a chemical analysis made? Yes No

(3) TYPE OF WORK (check): New Well Deepening Reconditioning Abandonment, describe material and procedure in Item 12.

(12) WELL LOG: Diameter of well below casing Depth drilled 24 ft. Depth of completed well 24 ft. Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

(4) PROPOSED USE (check): Domestic Industrial Municipal Irrigation Test Well Other (5) TYPE OF WELL: Rotary Cable Dug Bored Driven Jetted

Table with columns MATERIAL, FROM, TO. Handwritten entries: Top soil + Brown clay (0-11), packed sand & gravel (11-19), Water bearing gravel course (19-24)

(6) CASING INSTALLED: 6" Diam. from 0 ft. to 24 ft. Gage 250

(7) PERFORATIONS: Perforated? Yes No Type of perforator used Acetylene Size of perforations 1/4 in. H2 perforations from 20 ft. to 24 ft.

(8) SCREENS: Well screen installed? Yes No Manufacturer's Name Model No. Diam. Slot size Set from ft. to ft.

(9) CONSTRUCTION: Well seal-Material used in seal Bentonite Depth of seal 6 ft. Was a packer used? No Diameter of well bore to bottom of seal 16 in. Were any loose strata cemented off? No Depth Was a drive shoe used? No Was well gravel packed? No Size of gravel: Gravel placed from ft. to ft. Did any strata contain unusable water? No Type of water? depth of strata Method of sealing strata off

Work started 7/12 1966 Completed 7/14 1966 Date well drilling machine moved off of well 7/14 1966

(10) WATER LEVELS: Static level 8 ft. below land surface Date 7/14/66 Artesian pressure lbs. per square inch Date

(13) PUMP: Manufacturer's Name Type: H.P. Water Well Contractor's Certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. NAME G. B. Nye (Type or print) Address JUNCTION CITY ORE Drilling Machine Operator's License No. -211. [Signed] G. B. Nye (Water Well Contractor) Contractor's License No. 151 Date 7/14 1966