

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

LANE 66797

WATER WELL REPORT

OCT 26 1967 STATE OF OREGON

(Please type or print)

(Do not write above this line)

State Well No.

State Permit No.

LANE

06797

17/2w-18 LANE 10511

(1) OWNER:

Name Mb. M. L. Dow

Address 7080 Thurston Road, Springfield, Oregon

(2) TYPE OF WORK (check):

New Well [X] Deepening [ ] Reconditioning [ ] Abandon [ ]

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [X] Driven [ ] Cable [ ] Jetted [ ] Bored [ ]

(4) PROPOSED USE (check):

Domestic [X] Industrial [ ] Municipal [ ] Irrigation [ ] Test Well [ ] Other [ ]

(5) CASING INSTALLED:

6" Diam. from 0 ft. to 44 ft. Gage 250 5" Diam. from 0 ft. to 114 ft. Gage 10

PERFORATIONS:

Perforated? [X] Yes [ ] No.

Type of perforator used torch Size of perforations 6" 1/4 in. by 3 in. 5" perforations from 0 ft. to 8 ft. 6" 20 perforations from 35 ft. to 40 ft. 5" 188 perforations from 20 ft. to 114 ft.

(7) SCREENS:

Well screen installed? [ ] Yes [X] No

Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft. Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 12 ft. below land surface Date 10/19/67 Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level

Is a pump test made? [ ] Yes [X] No If yes, by whom? Field: gal./min. with ft. drawdown after hrs. Baller test 1800 gal./min. with 93 ft. drawdown after 1 hrs. Artesian flow g.p.m. Date Temperature of water Was a chemical analysis made? [ ] Yes [X] No

(10) CONSTRUCTION:

Well seal—Material used Puddle Caly & Cement Depth of seal 20 ft. Diameter of well bore to bottom of seal 10 in. Were any loose strata cemented off? [ ] Yes [X] No Depth Was a drive shoe used? [ ] Yes [X] No Did any strata contain unusable water? [ ] Yes [X] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [ ] Yes [X] No Size of gravel: Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County Lane Driller's well number 1/4 Section 18 T. 17S R. 2W W.M. Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing 6

Depth drilled 114 ft. Depth of completed well 114 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with columns: MATERIAL, From, To, SWL. Rows include Silt & Clay, Sand & Gravel, Cemented Sand & Gravel.

Work started 10/16/67 19 Completed 10/19/67 19 Date well drilling machine moved off of well 10/19/67 19

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Joe Bahrad Date 10/20/67 19 (Drilling Machine Operator)

Drilling Machine Operator's License No. 382

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Casey Jones Well Drilling (Person, firm or corporation) (Type or print)

Address Rt. 8, Box 695, Pleasant Hill, Oregon

[Signed] Delbert J. Jones (Water Well Contractor)

Contractor's License No. 105 Date 10/20/67, 19