NOTIGE TO WATER WELL CONTRACTOR

The original and first copy of this report

are to be filed with the

WATER RESOURCES DEPARTMENT.
SALEM, OREGON 97310
within 30 days from the date

## WATER WELL REPORT STATE OF OREGON

(Please type or print)

(Do not write above this line)

State Well No.	125	124	-	<u>l'À</u>
----------------	-----	-----	---	------------

State Permit No. ....

of well completion. (Do not write as	ove cuis ime;	
(1) OWNER:	(10) LOCATION OF WELL:	
Name Hosanna's Children Center	County Lane Driller's well number	
Address P.O. Box 26	14 14 Section 17 T. 17s R.	02w w.m
Springfield, Oregon	Bearing and distance from section or subdivision co	rner
(2) TYPE OF WORK (check):		
New Well ☑ Deepening ☐ Reconditioning ☐ Abandon ☐		
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found	<u>5</u> 2 ft
Rotary  Driven  Domestic  Industrial  Municipal	Static level 40 ft. below land surface	e. Date11/14/79
Dug ☐ Bored ☐ Irrigation ☐ Test Well ☐ Other ☐	Artesian pressure lbs. per square inch	n. Date
(5) CASING INSTALLED: Threaded □ Welded	(12) WELL LOG: Diameter of well below	gasing 6"
6ft. Gage .250	Depth drilled 160 ft. Depth of completed to	
	Formation: Describe color, texture, grain size and st	
ft. to ft. Gage	and show thickness and nature of each stratum and	d aquifer penetrated
(6) PERFORATIONS: Perforated? Tyes X No.	with at least one entry for each change of formation. F position of Static Water Level and indicate principal	
pe of perforator used	MATERIAL From	m To SWL
Size of perforations in. by in.	Soil & Boulders & Clay	0 19
perforations from ft. to ft.		19 160 40'
perforations from ft. to ft.		
perforations from ft. to ft.		
(7) SCREENS: Well screen installed?   Yes XNo		
Manufacturer's Name		
Type Model No		
Diam Slot size Set from ft. to ft.		
Diam. Slot size Set from ft. to ft. to ft.		
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	DECEMED	
Was a pump test made?  Yes X No If yes, by whom?	2 1070	
Yield: gal./min. with ft. drawdown after hrs.	DEC - 7.1979	<del>                                     </del>
" Air Test " " "	WATER RESOURCES DEPT	
<u></u>	SALEM, OREGON	
Bailer test 3 gal./min. with 100 ft. drawdown after 1 hrs.		
Artesian flow g.p.m.		
Temperature of water Depth artesian flow encountered ft.	Work started 11/13 1979 Completed	11/14 19 79
j) CONSTRUCTION:	Date well drilling machine moved off of well	11/14 19 79
Well seal—Material used Cement Grout	Drilling Machine Operator's Certification:	
Well sealed from land surface toft.	This well was constructed under my dire Materials used and information reported above best knowledge and belief	ect supervision
Diameter of well bore to bottom of sealin.	best knowledge and belief	/
Diameter of well bore below seal	[Signed] (Drilling Magnine Operator)	11/27 , 19 79
Number of sacks of cement used in well seal	Drilling Machine Operator's License No3	86
now was cement grout placed?		
	Water Well Contractor's Certification:	
	This well was drilled under my jurisdiction true to the best of my knowledge and belief.	and this report is
Was a drive shoe used? Tyes Xno Plugs Size: location ft.	Name Pitcher Pump & Drilling Co.	
Did any strata contain unusable water?   Yes  No	(Person, firm or corporation)	Oregon 07403
Type of water? depth of strata	Address 87829 Greenhild Road Sugere,	OTEROIT ALAON
Method of sealing strata off	[Signed] ( A ) Velc	<b>&gt;</b>
Was well gravel packed?  Yes No Size of gravel:	Vater Well Contractory	
Gravel placed from ft. to ft.	Contractor's License No	, 197.9.