

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

State Well No.

State Permit No.

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

(Do not write above this line)

WELL # 3

(1) OWNER:

Name: Wren Bell Cook
Address: 27071 Clear Lake Rd, Eugene, OR 97402

(2) TYPE OF WORK (check):

New Well [X] Deepening [] Reconditioning [] Abandon []
If abandonment, describe material and procedure in item 12.

(3) TYPE OF WELL:

Rotary [] Driven [] Cable [X] Jetted [] Dug [] Bored []
Domestic [X] Industrial [] Municipal [] Irrigation [] Test Well [] Other []

(4) PROPOSED USE (check):

(5) CASING INSTALLED:
8" Diam. from 1 ft. to 73 ft. Gage 250
14" perforations from 68 ft. to 73 ft.

(6) PERFORATIONS:

Type of perforator used: Cutting torch
Size of perforations: 1/8 in. by 60 in.
14 perforations from 68 ft. to 73 ft.

(7) SCREENS:

Well screen installed? [] Yes [X] No
Manufacturer's Name:
Type: Model No.
Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? [] Yes [X] No
Yield: gal./min. with ft. drawdown after hrs.
Baller test: 36 gal./min. with 38 ft. drawdown after 1 hrs.

(9) CONSTRUCTION:

Well seal—Material used: Cement
Well sealed from land surface to 30 ft.
Diameter of well bore to bottom of seal: 8 1/2 in.
Diameter of well bore below seal: 8 in.
Number of sacks of cement used in well seal: 16 sacks
Number of sacks of bentonite used in well seal:
Brand name of bentonite:
Number of pounds of bentonite per 100 gallons of water: lbs./100 gals.
Was a drive shoe used? [X] Yes [] No
Did any strata contain unusable water? [] Yes [X] No
Type of water? depth of strata
Method of sealing strata off
Was well gravel packed? [] Yes [X] No
Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County: Lane Driller's well number:
3/4 SW 1/4 SE 1/4 Section 3 T. 17 S. R. 5 W W
Bearing and distance from section or subdivision corner:

(11) WATER LEVEL: Completed well.

Depth at which water was first found: 63
Static level: 8 ft. below land surface. Date: 5-10
Artesian pressure: 73 lbs. per square inch. Date: 7-3

(12) WELL LOG:

Diameter of well below casing: 8"
Depth drilled: 73 ft. Depth of completed well: 73
Formation: Describe color, texture, grain size and structure of material and show thickness and nature of each stratum and aquifer penetrated with at least one entry for each change of formation.

Table with columns: MATERIAL, From, To, SW. Rows include: Top Soil (0-2), Brown Clay (2-20), Brown Clay with gravel (20-63), Loose sand + small gravel (63-72), Sand + gravel with clay (72-73).

Work started 5-5-77 Completed 5-16-77
Date well drilling machine moved off of well: MAY 16 1977

Drilling Machine Operator's Certification:
This well was constructed under my direct supervision. Materials used and information reported above are true to best knowledge and belief.
[Signed] Date June 4, 1977
Drilling Machine Operator's License No. 489

Water Well Contractor's Certification:
This well was drilled under my jurisdiction and this report true to the best of my knowledge and belief.
Name: Clays Well Drilling
Address: 91467 Stalling Lane Eugene, OR
[Signed] Date June 4, 1977
Contractor's License No. 502 Date June 4, 1977