

LANE 70264


Page 1 of 1

STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210)

12-28-2009

WELL LABEL # L 102334 START CARD # 1009147

(1) LAND OWNER Owner Well I.D.	(9) LOCATION OF WELL (legal description)		
First Name Last Name	County Lane Twp 18.00 S N/S Range 2.00 W F/W WM		
Address 250 S 32nd	Sec 8 NW 1/4 of the NE 1/4 Tax Lot 300		
Address : 250 S. 32hd City Springfield State OR Zip 97478	Tax Map Number Lot Lat ° ' "or DMS or DD		
(2) TYPE OF WORK New Well Deepening Conversion Alteration (repair/recondition) Abandonment	Street address of well Nearest address		
(3) DRILL METHOD	CLEARWATER PARK OFF CLEARWATER LANE, SPRINGFIELD, OR		
Rotary Air Rotary Mud Cable Auger Cable Mud Reverse Rotary Other	(10) STATIC WATER LEVEL Date SWL(psi) + SWL(ft)		
(4) PROPOSED USE Domestic Irrigation Community	Existing Well / Predeepening		
Industrial/ Commercial 1.ivestock Dewatering	Completed Well 12-23-2009 12 Flowing Artesian? Dry Hole?		
Thermal Injection Other	Flowing Artesian? Dry Hole? WATER BEARING ZONES Depth water was first found 18		
(5) BORE HOLE CONSTRUCTION Special Standard Attach copy)	[2] 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1		
Depth of Completed Well 39.00 ft. BORE HOLE SEAL sacks/ Dia From To Material From To Ant lbs	12-23-2009 18 37 10 3W-4537 3W-410		
10 0 18 Bentonite 0 2 2 S			
Cement 2 18 16 S			
6 8 39	(11) WELL LOG Ground Elevation		
How was seal placed: Method A B C D E	Material From To		
Other POURED AND TAMPED	TOP SOIL. 0		
Backfill placed from ft. to ft. Material	GRAVEL WITH BROWN SAND 1 37 BLUE SANDSTONE 37 39		
Filter pack from ft. to ft. Material Size	BLUE SANDSTONE 37 39		
Explosives used:Yes Type Amount			
(6) CASING/LINER (asing Liner Dia + From To Gauge Stl Plste Wld Thrd O 6 2 38 .25 Shoe Inside Outside Other Location of shoe(s) 38	IMPORTANT DOCUMENT! Please save with your property records for future reference.		
Temp casing Yes Dia From To			
(7) PERFORATIONS/SCREENS			
Perforations Method HOLT AIR PERFORATOR Screens Type Material			
Pert's Casing/Screen Scrn/slot Slot #of Tele/ creen Liner Dia From To width length slots pipe size	Date Started 12-22-2009 Completed 12-23-2009		
Peri Casing 6 20 38 25 1 200	(unbonded) Water Well Constructor Certification I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.		
(8) WELL TESTS: Minimum testing time is 1 hour	License Number1776 Date12-28-2009		
Pump Bailer Air Flowing Artesian Vickl gal-min Drawdown Drill stem/Pump depth Duration (hr)	Electronically Filed Signed DOUGLAS D TUCKER (E-filed)		
10	(bonded) Water Well Constructor Certification		
Temperature 57 °F Lab analysis Yes By	I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well		
Water quality concerns? Yes (describe below) Lean To Description REGENED	construction standards. This report is true to the best of my knowledge and belief. License Number 1541 Date 12-28-2009		
	Electronically Filed Signed CASEY JONES JR (E-filed)		
DEC 2 9 2009	ntact Info (optional) <u>Casey Jones Well Drilling Co., Inc. 541-747-2806</u>		



Lane County

SALEM, CREGON Assessor Map Reference Number: 18S 2W 8 NWNE: Tax Lot 300 Street Address of Well, if Available: Clearwater Park off Clearwater Lane, Springfield, OR. Well Log # LANE 70264, Well Label (ID Tag) # L 102334. (Please Locate Well and Indicate distance From Property or Survey Corner, See Attached Sample

Well Location Map.) MAP NOT TO SCALE