STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210) LANE 72529

6/10/2013

		1 age 1 Of	1
WELL I.D. LABEL# L	110898		
START CARD#	1020071		_
ORIGINAL LOG#			

(1) LAND OWNER Owner Well I.D.	
First Name Last Name	(9) LOCATION OF WELL (legal description)
Company STRUAN LLC; JC BIOMETHANE	County LANE Twp 16.00 S N/S Range 4.00 W E/W WM
Address 2111 PRAIRIE RD	
City EUGENE State OR Zip 97402	Sec <u>17 NE 1/4 of the NW 1/4 Tax Lot 201</u>
(2) TYPE OF WORK New Well Deepening Conversion	Lot DMS or DD
Alteration (complete 2a & 10) Abandonment(complete 5a)	
(2a) PRE-ALTERATION Dia + From To Gauge Stl Plstc Wld Thrd	Long ' or DMS or DD Street address of well Nearest address
Dia + From To Gauge Stl Plstc Wld Thrd Casing:	92711 HWY 99 S JUNCTION CITY, OREGON
Material From To Amt sacks/lbs	32/11 IIW 1 33 S JONE HOW CIT 1, OKLOON
Seal:	
(3) DRILL METHOD	(10) STATIC WATER LEVEL
X Rotary Air Rotary Mud Cable Auger Cable Mud	Date SWL(psi) + SWL(ft)
Reverse Rotary Other	Existing Well / Pre-Alteration
	Completed Well 6/7/2013 14
(4) PROPOSED USE Domestic Irrigation Community	Flowing Artesian? Dry Hole?
Industrial / Commercial Livestock Dewatering	WATER BEARING ZONES Depth water was first found 30.00
Thermal Injection Other	SWL Date From To Est Flow SWL(psi) + SWL(ft)
(5) BORE HOLE CONSTRUCTION Special Standard (Attach copy	6/7/2013 30 59 50 14
Depth of Completed Well 238.00 ft.	6/7/2013 196 228 300 14
BORE HOLE SEAL sacks/	
Dia From To Material From To Amt 1bs	
12 0 18 Cement 0 18 21 S	
8 18 203	-
6 203 238	(11) WELL LOG Ground Elevation
How was seal placed: Method A B XC D E	Material From To
Other	brown clay 0 14
Backfill placed from ft. to ft. Material	sand and gravel 14 59
Filter pack from ft. to ft. Material Size	blue sandy clay with gravel 59 196
	black sand 196 228
Explosives used: Yes Type Amount	blue clay with sand and gravel 228 238
(5a) ABANDONMENT USING UNHYDRATED BENTONITE	
Proposed Amount Actual Amount	
(6) CASING/LINER _	
Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd	
● 8 X 2 203 .250 ● X □	
Shoe X Inside Outside Other Location of shoe(s) 203	
Temp casing X Yes Dia 12 From 0 To 18	
(7) PERFORATIONS/SCREENS	
Perforations Method	D. J. G. J. J. (2001) Complete (7/2012)
Screens Type V-wire Material stainless steel Perf/ Casing/ Screen Scrn/slot Slot # of Tele/	Date Started 6/3/2013 Complete 6/7/2013
Screen Liner Dia From To width length slots pipe size	(unbonded) Water Well Constructor Certification
Screen Casing 8 198 238 .01 1	I certify that the work I performed on the construction, deepening, alteration, or
	abandonment of this well is in compliance with Oregon water supply well
	construction standards. Materials used and information reported above are true to the best of my knowledge and belief.
	License Number 1839 Date 6/10/2013
(8) WELL TESTS: Minimum testing time is 1 hour	Signed MICHAEL J HOLLEY (E-filed)
Pump Bailer • Air Flowing Artesian	MICHIEL TOLLET (E mea)
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	(bonded) Water Well Constructor Certification
300 238 1	I accept responsibility for the construction, deepening, alteration, or abandonment
	work performed on this well during the construction dates reported above. All work
	performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.
Temperature 57 °F Lab analysis Yes By	-
Water quality concerns?	License Number 1541 Date 6/10/2013
10 Description Amount Clints	Signed CASEY JONES JR (E-filed)
	Contact Info (optional) Casey Jones Well Drilling Co., Inc. 541-747-2920
	· vr···/