		1. this
STATE ENGINEER, SALEM, OREGON 9731. STATE OF within 30 days from the date of well completion	DREGON be or print)	
(1) OWNER:	(11) WELL TESTS: Drawdown is amount water level is lowered below static level	
Transmissif Jand Management	Was a pump test made? Ves GNo If yes, by whom?	
P 0 Boy 392	Yield: gal./min. with ft. drawdown after hrs	
Eugene, Oregon		*
(2) LOCATION OF WELL: Whitaker Creek # 2		
	Baller test 6 gal./min. with 11 ft. drawdo	wn after 13/m
County Lane Driller's well number	Artesian flow g.p.m. Date	
1/4 1/4 Section 21 T. 18 S R. 8 W W.M.	Temperature of water Was a chemical analysis r	nade? 🔲 Yes 🗶 🛛 N
Bearing and distance from section or subdivision corner	(12) WELL LOG: Diameter of well below ca	sing6
Whittaker Creek North BLM Campground	Depth drilled 60 ft. Depth of completed we	60
TL 100	Example of the color character, size of materia	
	Formation: Describe by color, character, size of materia show thickness of aquifers and the kind and nature of t stratum penetrated, with at least one entry for each c	he material in eac ange of formatio
	MATERIAL	FROM TO
(3) TYPE OF WORK (check):	Top soil	0 4
New Well 🕞 Deepening 🗌 Reconditioning 🗌 Abandon 🗍	Clay light gray with silt	
If abandonment, describe material and procedure in Item 12.	Sandstone light brown	8 11
(4) PROPOSED USE (check): (5) TYPE OF WELL:	Sandstone, gray	11 60
Domestic I Industrial I Municipal I Cable IN Jetted		
Irrigation [] Test Well [] Other [X] Dug [] Bored []		
(6) CASING INSTALLED: Threaded [] Welded [Z		
<u>6</u> "Diam from <u>0</u> ft. to <u>20</u> ft. Gage <u>250</u>	1	<u></u>
" Diam. from ft. to ft. Gage		
"Diam. fromft. toft. Gage	RECEIVED BY OWRD	Į
(7) PERFORATIONS: Perforated? Yes No	JULY 14, 2016	
Type of perforator used		
Size of perforations in. by in.	SALEM, OR	
perforations from ft. to ft.		
	<u> </u>	
perforations from ft. to ft.		
perforations from ft. to ft.		
perforations from ft. to ft.		
(8) SCREENS: Well screen installed? [] Yes A No		
Manufacturer's Name		<u> </u>
Type Model No. Diam. Slot size Set from ft. to ft.	Work started 6/13/66 19 Completed 66	126166-00
Diam Slot size Set from it. to it. Diam Slot size Set from it. to ft.		16/66/2 19
	Date wer unling intended in the second	4.07.0042 19
(9) CONSTRUCTION:	(13) PUMP:	
Coment Tours	Manufacturer's Name	
Well seal-Material used in seal <u>Cement 18</u> Depth of seal <u>18</u> ft. Was a packer used? <u>NO</u>	Type:	H.P
Diameter of well bore to bottom of seal	Water Well Contractor's Certification:	
	This well was drilled under my jurisdiction	and this report
Was a drive shoe used 2 Yes No No Was well gravel packed? Yes XNo Size of gravel:	true to the best of my knowledge and belief.	
Gravel placed from ft. to ft.	W M Dailling and Dumn	Service
	NAME W. W. Drilling and Pump (Person, firm or corporation)	pe or print)
Did any strata contain unusable water? 🖸 Yes 🏝 No	Address 4157 Main Springfi	eld, Or.
Type of water? depth of strata		
Method of sealing strata off	Drilling Machine Operator's License No	320
(10) WATER LEVELS:	1 11 10 IT Aliland	- 74
	[Signed] (Water Well Contractor)	
9 At halow land surface' Data 6/16/60		
Static level 9 ft. below land surface Date 6/16/60 Artesian pressure lbs. per square inch Date	Contractor's License No. 268 Date 6/29	/66 19

~

*OWRD Staff note•This log was submitted after the fact, by Lane County staff.