STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210)		LANE 74645	WELL I.D. LABEL# L START CARD #	Page 1 of 123253 1031344	
		7/22/2016	ORIGINAL LOG#		
AND OWNER Name STEFAN	Owner Well I.D. Last Name AUMACK	(9) LOCAT	ION OF WELL (legal de	escription)	

First Name STEFAN Last Name AUMACK	(9) LOCATION OF WELL (legal description)		
Company KALAPUYA HIGH SCHOOL/ BETHEL SCHOOL DISTRICT	County LANE Twp 17.00 S N/S Range 4.00 W E/W WM		
Address 1200 NORTH TERRY ST.	Sec 20 NE 1/4 of the SE 1/4 Tax Lot 3600		
City EUGENE State OR Zip 97402	Tax Man Number		
2) TYPE OF WORK New Well Deepening Conversion	Tax Map Number Lot Lat		
Alteration (complete 2a & 10) Abandonment(complete 5a)	Lat " or 44.07444200 DMS or DD Long " or -123.18821700 DMS or DD		
(2a) PRE-ALTERATION Dia + From To Gauge Stl Plstc Wld Thrd	Street address of well Nearest address		
Casing:	1200 NORTH TERRY ST. EUGENE, OR. 97402		
Material From To Amt sacks/lbs			
Seal:			
(3) DRILL METHOD	(10) STATIC WATER LEVEL		
Rotary Air Rotary Mud Cable Auger Cable Mud	Date SWL(psi) + SWL(ft)		
Reverse Rotary Other	Existing Well / Pre-Alteration Completed Well 7/21/2016 10		
	Completed Well 7/21/2016 10 Flowing Artesian? Dry Hole?		
(4) PROPOSED USE Domestic X Irrigation Community			
Industrial/ Commercial Livestock Dewatering	WATER BEARING ZONES Depth water was first found 26.00		
Thermal Injection Other	SWL Date From To Est Flow SWL(psi) + SWL(ft)		
(5) BORE HOLE CONSTRUCTION Special Standard (Attach copy	7/21/2016 25 59 150 10		
Depth of Completed Well 59.00 ft.	7272010 20 00 100		
BORE HOLE SEAL sacks/			
Dia From To Material From To Amt lbs			
10 0 19 Bentonite Chips 0 19 11 S			
6 19 59 Calculated 8			
Calculated	(11) WELL LOG Ground Elevation		
How was seal placed: Method A B C D E			
X Other POURED DRY	Material From To topsoil 0 3		
Backfill placed from ft. to ft. Material	clay/brown hard 3 11		
Filter pack from ft. to ft. Material Size	clay brown sandy 11 17		
	gravel w/clay 17 22		
Explosives used: Yes Type Amount	gravel w/sand tight 22 44		
(5a) ABANDONMENT USING UNHYDRATED BENTONITE	gravel w/sand loose 44 59		
Proposed Amount Actual Amount			
(6) CASING/LINER			
Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd			
● 6 X 1 59 250 ● X □			
Shoe X Inside Outside Other Location of shoe(s) 59			
Temp casing Yes From To			
7) PERFORATIONS/SCREENS			
Perforations Method torch cut			
Screens Type Material Perf/ Casing/ Screen Scrn/slot Slot # of Tele/	Date Started 7/21/2016 Completed 7/21/2016		
Perf/ Casing/Screen Scrn/slot Slot # of Tele/ Screen Liner Dia From To width length slots pipe size	(unbonded) Water Well Constructor Certification		
Perf Casing 6 45 55 .25 6 12 6	I certify that the work I performed on the construction, deepening, alteration, or		
	abandonment of this well is in compliance with Oregon water supply well		
	construction standards. Materials used and information reported above are true to		
	the best of my knowledge and belief.		
	License Number Date		
8) WELL TESTS: Minimum testing time is 1 hour	Signed		
Pump Bailer • Air Flowing Artesian	5751104		
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	(bonded) Water Well Constructor Certification		
150 59 1	I accept responsibility for the construction, deepening, alteration, or abandonment		
	work performed on this well during the construction dates reported above. All work		
	performed during this time is in compliance with Oregon water supply well		
Temperature 54 °F Lab analysis Yes By	construction standards. This report is true to the best of my knowledge and belief.		
Water quality concerns? From To Yes (describe below) TDS amount 132 ppm Description Amount Units	License Number 1723 Date 7/22/2016		
From To Description Amount Units	Signed WILLIAM DILLIE FIELDED (F.C.)		
	Signed WILLIAM 'BILL' E. FIELDER (E-filed)		
	Contact Info (optional) Bill Fielder		