LANE 75494

STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210)

9/20/2017

	Page 1 of 1
WELL I.D. LABEL# I	124694
START CARD #	1034752
ORIGINAL LOG#	

(1) LAND OWNER Owner Well I.D.		
First Name RON Last Name STUFF	(9) LOCATION OF WELL (legal description)	
Company	County LANE Twp 16.00 S N/S Range 4.00 W E/W WM	
Address 30770 LONE PINE DRIVE City JUNCTION CITY State OR Zip 97448	Sec 20 NE 1/4 of the NE 1/4 Tax Lot 8 30 1	
City JUNCTION CITY State OR Zip 97448 (2) TYPE OF WORK New Well Deepening Conversion	Tax Map Number Lot	
Alteration (complete 2a & 10) Abandonment(complete 5a)	Tax Map Number Lot Lat " or 44.16800000 DMS or DD	
(2a) PRE-ALTERATION	Long or123.19010000 DMS or DD	
Dia + From To Gauge Stl Plstc Wld Thrd	Street address of well • Nearest address	
Casing:	PRAIRIE RD JUNCTION CITY, OR 97448	
Material From To Amt sacks/lbs Seal:		
(3) DRILL METHOD	(10) STATIC WATER LEVEL	
X Rotary Air Rotary Mud Cable Auger Cable Mud	Date SWL(psi) + SWL(ft)	
Reverse Rotary Other	Existing Well / Pre-Alteration Completed Well 6/6/2017	
(4) PROPOSED USE	Flowing Artesian? Dry Hole?	
	WATER BEARING ZONES Depth water was first found 29.00	
Thermal Injection Other	SWL Date From To Est Flow SWL(psi) + SWL(ft)	
(5) BORE HOLE CONSTRUCTION Special Standard (Attach copy) Depth of Completed Well 92.00 ft.	0,0,001	
BORE HOLE SEAL sacks/	6/6/2017 71 92 100 11	
Dia From To Material From To Amt Ibs		
10 0 22 Bentonite Chips 0 22 12 S		
6 22 92 Calculated 10.04		
Calculated	(11) WELL LOG Ground Elevation	
How was seal placed: Method A B C D E	Material From To	
Other POURED AND TAMPED	Fill and Gravel 0 1	
Backfill placed from0 ft. to22 ft. Material BENTONITE CHIPS	Top Soil 1 6	
Filter pack from ft. to ft. Material Size	Grey Clay 6 22 Glay with Gravels 22 26	
Explosives used: Yes Type Amount	Gravles with Sand and Clay 26 29	
(5a) ABANDONMENT USING UNHYDRATED BENTONITE	Sand and Gravel 29 48	
Proposed Amount Actual Amount	Grey Clay 48 71	
(6) CASING/LINER	Sand with Gravel 71 92	
Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd		
● 6 X 1 92 25 ● X	RECEIVED BY DWRD	
	·	
	OCT 1 2 2017	
	UC 1 2 2017	
Shoe Inside Outside Other Location of shoe(s)		
Temp casing Yes Dia From + To	SALEM, OR	
(7) PERFORATIONS/SCREENS		
Perforations Method Torch Cut	D. C. I. Lawrence	
Screens Type Material Perf/ Casing/Screen Scrn/slot Slot # of Tele/	Date Started 6/5/2017 Completed 6/6/2017	
Screen Liner Dia From To width length slots pipe size	(unbonded) Water Well Constructor Certification	
Perf Casing 6 80 90 .25 8 16	I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to	
	the best of my knowledge and belief.	
	License Number Date	
(8) WELL TESTS: Minimum testing time is 1 hour	Cinnel	
Pump Bailer () Air Flowing Artesian	Signed	
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	(bonded) Water Well Constructor Certification	
125 92 1	I accept responsibility for the construction, deepening, alteration, or abandonment	
	work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well	
Towns (2) OF Laboratoria Very Dec	construction standards. This report is true to the best of my knowledge and belief.	
Temperature 62 °F Lab analysis Yes By Water quality concerns? Yes (describe below) TDS amount 146 ppm	License Number 1960 Date 9/20/2017	
Water quality concerns? Yes (describe below) TDS amount 146 ppm From To Description Amount Units	1700 Date 9/20/2017	
	Signed JACOB HOWELL'(E-filed)	
	Contact Info (optional) Jacob L Howell	