STATE OF OREGON
WATER SUPPLY WELL REPORT
(as required by OPS 537.765 & OAD 690.205.0210)

LANE 77323

WELL I.D. LABEL# L 137634

START CARD # 1047024

ORIGINAL LOG #

(as required by ORS 537.765 & OAR 690-205-0210)	4/27/2020	ORIGINAL LOG#	1047024		
(1) LAND OWNER Owner Well I.D.					
First Name Last Name	(9) LOCA	TION OF WELL (legal d	description)		
Company LANE HOUSING AUTHORITY C/O JOHNSON CONTROLS INC	l l	E Twp 17.00 S N	_	W E/W WM	
Address 103 WOODMERE RD		NIE 4/4 0.1 CE			
City FOLSOM State CA Zip 95630  (2) TYPE OF WORK New Well Deepening Conversion	Sec 27 Tax Map Nui Lat				
Alteration (complete 2a & 10) Abandonment(compl	lete 5a) Lat	mber" or		DMS or DD	
(2a) PRE-ALTERATION	Long	° ' " or		_ DMS or DD	
Casing: To Gauge Stl Plstc Wld Thrd		Street address of well The	arest address		
Material From To Amt sacks/lbs	300 FAIRVI	IEW DRIVE SPRINGFIELD			
Seal:	<u> </u>				
(3) DRILL METHOD	(10) STAT	TIC WATER LEVEL			
Rotary Air Rotary Mud Cable Auger Cable Mud	Evicting	Well / Pre-Alteration Date	e SWL(psi) +	SWL(ft)	
Reverse Rotary Other	Complet	ed Well 2/24/2020		10	
(4) PROPOSED USE Domestic X Irrigation Community		Flowing Artesian?	Dry Hole?	10	
Industrial/ Commercial Livestock Dewatering	WATER BEA		ater was first found	10.00	
Thermal Injection Other	SWL Date	•	t Flow SWL(psi)		
(5) BORE HOLE CONSTRUCTION Special Standard (Attac					
Depth of Completed Well 68.50 ft.	ch copy) 4/24/2020	10 63	75	10	
BORE HOLE SEAL	sacks/				
Dia From To Material From To Amt	lbs				
12   0   20   Cement   0   20   22   8   20   68.5   Calculated   6.67	S				
8 20 68.5 Calculated 6.67					
Calculated	(11) WELI	(11) WELL LOG Ground Elevation			
How was seal placed: Method A B XC D	<u> </u>	Material	From	То	
Other	Topsoil		0	6	
Backfill placed from ft. to ft. Material	Sand and Gra Broken Blue		60	60	
Filter pack from ft. to ft. Material Size	Blue Sandsto		63	68.5	
Explosives used: Yes Type Amount					
(5a) ABANDONMENT USING UNHYDRATED BENTONITE					
Proposed Amount Actual Amount					
(6) CASING/LINER					
Casing Liner         Dia         + From         To         Gauge         Stl         Plstc         Wld           (•)         8         X         1.5         44         .250         (•)         X	Thrd				
	H II				
Shoe Inside Outside Other Location of shoe(s) 44					
Temp casing Yes Dia From + To				+	
(7) PERFORATIONS/SCREENS					
Perforations Method	Date Starte	d4/22/2020 Com	1-4-1 4/24/2020		
	Tele/	<u> </u>	pleted <u>4/24/2020</u>		
		Water Well Constructor Certifi			
Screen Casing         6         43         63.5         .012         2         1000		t the work I performed on the court of this well is in compliance			
		standards. Materials used and in			
		ny knowledge and belief.			
	License Nun	nber <u>1839</u> D	Date 4/27/2020		
(8) WELL TESTS: Minimum testing time is 1 hour	Signed M	ICHAEL HOLLEV (E. £14)			
Pump Bailer • Air Flowing Artes:	ian Signed M	ICHAEL HOLLEY (E-filed)			
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	¬ l` ′	ater Well Constructor Certificat			
75 68 1		consibility for the construction, d			
	work perform	ned on this well during the constru uring this time is in compliance	ce with Oregon w	u above. All work ater supply wel	
Temperature 57 °F Lab analysis Yes By		standards. This report is true to the			
	opm License Num	nber _1541 De	Pate 4/27/2020		
Water quality concerns? Yes (describe below) TDS amount 195 I Description Amount Ur	nits		1,21,2020		
		ASEY JONES JR (E-filed)	u:	47.000	
	Contact Info	(optional) Casey Jones Well Dril	ling Co., Inc. 541-7	47-2806	