Duplicate with the STATE ENGINEER,	COREGON TEGO State Well No. 6560
(1) OWNER: Name Rubert (5) dwards	(11) WELL TESTS: Drawdown is amount water level is lowered below static level  Was a pump test made? X Yes  \[ \Bar{\text{No}} \] No If yes, by whom? OWITES
Address Junction City Ore,	Yield: 500 gal./min. with 6 ft. drawdown after 3 hrs.
(2) LOCATION OF WELL:  County LAVE Owner's number, if any—	Bailer test gal./min. with ft. drawdown after hrs.  Artesian flow g.p.m. Date Aug 10
SWAW NE & Section 9 T. 16 5 RS 4 & W.M.  Bearing and distance from section or subdivision corner  1636 FT South and 1175 FT East	Temperature of water Was a chemical analysis made? Yes No  (12) WELL LOG: Diameter of well inches.
From The NEGOTHER of the NW Hof Section 9 TWPIS SRYW	Depth deflice 25 ft. Depth of completed well 25 ft.  Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each
	stratum penetrated, with at least one entry for each change of formation.  MATERIAL FROM TO
TYPE OF WORK (check):  Well \( \) Deepening \( \) Reconditioning \( \) Abandon \( \)  If abandonment, describe material and procedure in Item 11.	Clay, gray in color o' B'  # inch to 15" Mised grave   B' 12'  fine Sand Mised with grave   050" to 2" 12' 20'
(4) PROPOSED USE (check): (5) TYPE OF WELL:	Fine Sand + Small ground of 1" 20 22  Med Sand + ground o' 4" 22 25
Rotary   Driven   D	
(6) CASING INSTALLED: Threaded Welded Threaded T	
(7) PERFORATIONS:  Perforated? Yes \( \) No  Type of perforator used  SIZE of perforations \( \) in. by \( \) in.  perforations from \( \) ft. to \( \) ft.  perforations from \( \) ft. to \( \) ft.  perforations from \( \) ft. to \( \) ft.  perforations from \( \) ft. to \( \) ft.  perforations from \( \) ft. to \( \) ft.  perforations from \( \) ft. to \( \) ft.	
(8) SCREENS: Well screen installed  Yes No	
Type	Work started June 29 1957 Completed June 39 1957
CONSTRUCTION:  well gravel packed?  Yes No Size of gravel:  Gravel placed from ft. to ft.	(13) PUMP:  Manufacturer's Name Fair banks Morse  Type: Gas driven Contribued HP. 30, 545
Was a surface seal provided? ☐ Yes ☑ No To what depth?	Well Driller's Statement:  This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Method of sealing strata off  (10) WATER LEVELS: Static level 8 ft. below land surface Date Aug 10	NAME WALTER NELSON (Person, firm, or corporation)  Address  Address  NAME  (Person, firm, or corporation)  (Person, firm, or corporation)  (Person, firm, or corporation)  (Person, firm, or corporation)
Artesian pressure lbs. per square inch Date	Driller's well number / [Signed] Watter Welson
[Signed]	License No. 2 13 Date 220 , 1957.