| STATE OF OREGON | LANE | 80348 | WELL I.D. LABEL# L | 154621 | |
|--|-----------------|------------------|---|--|---------|
| WATER SUPPLY WELL REPORT | | | START CARD# | 1079219 | |
| (as required by ORS 537.545 & 537.765 and OAR 690-205-0210) | 8/27/ | 2025 | ORIGINAL LOG# | LANE 6274 | |
| (1) I AND OUNIED | | | | | |
| (1) LAND OWNER Owner Well I.D. 6721 First Name Last Name | | (9) LOCATIO | ON OF WELL (legal de | escription) | |
| Company ANDERSON GARVEY TRUST | | | Twp 15.00 S N/S | _ | /W WN |
| Address 94705 OAKLEA DR. | | | V 1/4 of the SE | | |
| City JUNCTION CITY State OR Zip 97448 2) TYPE OF WORK New Well Deepening Co | nversion | Tax Map Number | | Lot | |
| 2) TYPE OF WORK New Well Deepening Co | | Lat | " or 44.23099200 " or -123.2192760 | DMS | or DD |
| X Alteration (complete 2a & 10) Abandonments 2a) PRE-ALTERATION | (complete 5a) | Long° | " or -123.2192760 | 00 DMS | or DD |
| Dia + From To Gauge Stl Plstc Wld | Thrd | Stree | et address of well Nea | rest address | |
| Casing: 5 X 0.5 25 0.250 • X | | W. 18TH AVE | JUNCTION CITY, OR | | |
| Material From To Amt sacks/lbs | | | | | |
| Seal: | | (10) STATIC | WATER LEVEL | | |
| (3) DRILL METHOD Rotary Air Rotary Mud Cable Auger Cable Mu | d | (10) STATIC | Date | SWL(psi) + SWL(i | ft) |
| Reverse Rotary Other | u | Existing Well | I / Pre-Alteration 8/22/2025 | 11 | |
| | | Completed W | | 11 | |
| (4) PROPOSED USE Domestic Irrigation Communication | ity | | Flowing Artesian? | Dry Hole? | |
| Industrial/Commercial Livestock Dewatering | | WATER BEARIN | G ZONES Depth wat | ter was first found | |
| Thermal Injection Other | | SWL Date | From To Est | Flow SWL(psi) + SWL | L(ft) |
| (5) BORE HOLE CONSTRUCTION Special Standard | (Attach conv) | | | | \neg |
| Depth of Completed Well ft. | (ruaen copy) | | | | - |
| BORE HOLE SEAL | sacks/ | | | | |
| Dia From To Material From To | Amt 1bs | | | | _ |
| 10 0 18 Bentonite 0 10 | 6 S | | | | |
| 5 18 25 Calculated Cement 10 18 | 6 | | • | | |
| Cement 10 18 Calculated | 10 S | (11) WELL LO | OG Ground Elevation | 319 29 FT | |
| Seal placement method: A B C D E Other: POURED D | PV | | Material | | To |
| Backfill placed from ft. to ft. Material | KI | | 1/14/1/41 | | |
| | Size | | | | |
| Explosives used: Type Amount | | | | | |
| Seal Placement Begin Date 8/22/2025 Begin Time 13 | 00 | | | | |
| (5a) ABANDONMENT USING UNHYDRATED BENTON | 1 | | | | |
| Proposed Amount Actual Amount | (1112 | | | | |
| | | | | | |
| (6) CASING/LINER Mat. | Shoe | | | | |
| C/L Dia + From To Gauge Type Wld Thrd St | noe Location | | | | |
| C 5 X 1 25 0.250 ST X | | | | - - - - - - - - - - | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| Temp casing Yes Dia From+ To | | | | | |
| 7) PERFORATIONS/SCREENS | | | | | |
| Perforations Method | | Construction | | | |
| Screens Type Material Perf/ Casing/ Screen Scrn/slot Slot #6 | of Tele/ | Begin Date 8/22/ | 2025 Begin Time 09 | 30 End Date 8/25/20 | 025 |
| Screen Liner Dia From To width length slo | | (unbonded) Wat | er Well Constructor Certific | cation | |
| The second secon | | | work I performed on the con | | |
| | | | this well is in compliance | | |
| | | | dards. Materials used and inf owledge and belief. | ormation reported above are | true to |
| | | | • | 4- | |
| | | License Number | 2050 Da | te <u>8/27/2025</u> | |
| 8) WELL TESTS: Minimum testing time is 1 hour | | Signed IACOF | B HAYES (E-filed) | | |
| Tield | ıration | <u> </u> | | | |
| Type of Test (gal/min) Drawdown Pump Depth | (hr) | ` ′ | Well Constructor Certificati | | |
| | | | bility for the construction, de | | |
| | | | on this well during the construct | | |
| | | | g this time is in compliance lards. This report is true to the | | |
| Temperature 62 °F Lab analysis Yes By | | | _ | | |
| Water quality concerns? Yes (describe below) TDS amount 150 From To Description Amour | ppm nt Units | License Number | 1684 Da | te <u>8/27/2025</u> | |
| | | Signed BRET | JONES (E-filed) | | |
| | | | : JONES DRILLING CO., | INC. | |
| | | | | | |

WELL I.D. LABEL# L $_{154621}$

Amended 9/9/2025

6274

Amount

Units

Duration

(hr)

Drill Stem/

Drawdown Pump Depth

(8) WELL TESTS: Minimum testing time is 1 hour

Yield

(gal/min)

Type of Test

| Name of person(s) who assisted wi | th construction and Train | ee License # | / Helper # |
|-----------------------------------|---------------------------|--------------|------------|
| Assistant Name | Type | | # |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| Comments/Remarks | | • | |
| Overshot existing casing to 18' | | | |
| Resealed using cement and benton | nite | | |
| Cleaned out to depth of 25' | | | |

Added additional 1' of 5" casing to bring height to code.

LANE 80348

8/27/2025

Map of Hole

STATE OF OREGON WELL LOCATION MAP

This map is supplemental to the WATER SUPPLY WELL REPORT

Oregon Water Resources Department

725 Summer St NE, Salem OR 97301 (503)986-0900



OF WELL Well Label: 154621

Printed: August 27, 2025

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.

Provided by well constructor

LOCATION OF WELL

Latitude: 44.23099200 Datum: WGS84

Longitude: -123.21927600

Township/Range/Section/Quarter-Quarter Section:

WM15.00S4.00W30SWSE

Address of Well:

W. 18TH AVE. - JUNCTION CITY, OR

