

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

RECEIVED WATER WELL REPORT NOV 24 1969 STATE ENGINEER SALEM, OREGON

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

(Do not write above this line)

LANE 8061

State Well No. 76/4W-2/cd

State Permit No. G 5526

(1) OWNER:

Name Mr. R. M. Lyon Address 4030 Prairie Road, Junction City, Oregon

(11) LOCATION OF WELL:

County Lane Driller's well number 1/4 1/4 Section 21 T. 16S R. 4W W.M.

(2) TYPE OF WORK (check):

New Well [X] Deepening [ ] Reconditioning [ ] Abandon [ ]

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [ ] Driven [ ] Cable [X] Jetted [ ] Dug [ ] Bored [ ]

(4) PROPOSED USE (check):

Domestic [ ] Industrial [ ] Municipal [ ] Irrigation [X] Test Well [ ] Other [ ]

(5) CASING INSTALLED:

10" Diam. from 1.6" ft. to 100 ft. Gage .250

(12) WELL LOG:

Diameter of well below casing 10 Depth drilled 103 ft. Depth of completed well 103 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with columns: MATERIAL, From, To, SWL. Rows include Soil & Clay, Sand & gravels, Some water at 18', looser, Sand & gravels tight, more sand, smaller gravels, little clay, Clay with sand & gravels small, Clay & sand, Heavy gravels & sand w/clay, Clay and sand, some gravels, Small gravels & sand w/clay.

PERFORATIONS:

Perforated? [X] Yes [ ] No. Type of perforator used Mills Knife Size of perforations 3/8 in. by 2 1/2 in. 500 perforations from 100 ft. to 18 ft.

(7) SCREENS:

Well screen installed? [ ] Yes [X] No Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 13'6" ft. below land surface Date 9/24/69 Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level Was a pump test made? [X] Yes [ ] No If yes, by whom? Driller Yield: 200 gal./min. with 30 ft. drawdown after 3 hrs.

Work started 9-11 1969 Completed 9-26 1969 Date well drilling machine moved off of well 9-26 1969

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Carl Piteker Date 11/5, 1969 (Drilling Machine Operator)

Drilling Machine Operator's License No. 386

(10) CONSTRUCTION:

Well seal—Material used Bentonite Depth of seal 18 ft. Diameter of well bore to bottom of seal 13 in. Were any loose strata cemented off? [ ] Yes [X] No Depth Was a drive shoe used? [ ] Yes [X] No Did any strata contain unusable water? [ ] Yes [X] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [ ] Yes [X] No Size of gravel: Gravel placed from ft. to ft.

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Piteker Pump & Drilling Company (Person, firm or corporation) (Type or print)

Address 255 West 5th St, Junction City, Oregon

[Signed] Carl Piteker (Water Well Contractor)

Contractor's License No. 494 Date November 5, 1969