

NOTICE TO WATER WELL CONTRACTOR
The original and first copy
of this report are to be
filed with the

STATE ENGINEER, SALEM, OREGON 97310
within 30 days from the date
of well completion.

RECEIVED
STATE OF OREGON
FEB 12 1976
WATER WELL REPORT
RECEIVED

State Well No. 165/2E-29

State Permit No. 1

(1) OWNER:

Name Makinzie Water Resources
Address Highway 97488

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Driven
Cable Jetted
Dug Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

CASING INSTALLED:

" Diam. from GL ft. to 7.0 ft. Gage 250
" Diam. from ft. to ft. Gage

PERFORATIONS:

Perforated? Yes No.
Type of perforator used
Size of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? Yes No
Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom?
Yield: gal./min. with ft. drawdown after hrs.
" " " " " "
" " " " " "
Bailer test 30 gal./min. with 2 ft. drawdown after 1 hrs.
Artesian flow g.p.m.
Temperature of water Depth artesian flow encountered

(9) CONSTRUCTION:

Well seal—Material used Cement
Well sealed from land surface to 3.0 ft.
Diameter of well bore to bottom of seal 8.12 in.
Diameter of well bore below seal in.
Number of sacks of cement used in well seal 15 sacks
Number of sacks of bentonite used in well seal X sacks
Brand name of bentonite X
Number of pounds of bentonite per 100 gallons
of water Y lbs./100 gals.
Was a drive shoe used? Yes No Plugs Size: location ft.
Did any strata contain unusable water? Yes No
Type of water? 5 depth of strata X
Method of sealing strata off ✓
Was well gravel packed? Yes No Size of gravel:
Gravel placed from X ft. to X ft.

(10) LOCATION OF WELL:

County Lane Driller's well number 165
NE 1/4 S 2 E 29 T. 14 S. R. 2 E W.M.
Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found 7.0 ft.
Static level 3.5 ft. below land surface. Date 11/7/75
Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 8
Depth drilled 7.0 ft. Depth of completed well 7.0 ft.
Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Clay & Boulder	0	3.5	
Clay & sand & peognd	3.5	6.0	
sand	6.0	6.5	
Clay & gravel	6.5	7.0	
sand & gravel	7.0	7.1	3.5

RECEIVED

FEB 12 1976

WATER RESOURCES DEPT.
SALEM, OREGON

Work started 10/30 1975 Completed 11/7 1975
Date well drilling machine moved off of well 11/7 1975

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] W. D. Johnson Date 11/7, 1975
(Drilling Machine Operator)
Drilling Machine Operator's License No. 796

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name W.W. Drilling & Pump Ser.
(Person, firm or corporation) (Type or print)
Address 2320 Madison St. S.W., Corvallis, Ore. 97331
[Signed] Walt Wilson
(Water Well Contractor)
Contractor's License No. 268 Date, 19.....