

NOTICE TO WATER WELL CONTRACTOR
The original and first copy
of this report are to be
filed with the

RECEIVED
AUG 25 1965
STATE ENGINEER
SALEM OREGON

STATE ENGINEER, SALEM, OREGON 97310
within 30 days from the date
of well completion.

WATER WELL REPORT
STATE OF OREGON
(Please type or print)

LANE
9655
State Well No. 16/5-14
State Permit No. _____

(1) OWNER:

Name Contracting Officer, Willamette
Address National Forest
P. O. Box 1272, Eugene, Oregon

(2) LOCATION OF WELL:

County Lane Driller's well number
¼ Section 14 T. 16 S R. 5 E W.M.
Bearing and distance from section or subdivision corner

(3) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
Abandonment, describe material and procedure in Item 12.

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

(5) TYPE OF WELL:

Rotary Driven
Cable Jetted
Dug Bored

(6) CASING INSTALLED:

Threaded Welded
6" Diam. from 0 ft. to 55 ft. Gage .280
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

(7) PERFORATIONS:

Perforated? Yes No
Type of perforator used Mills
Size of perforations 1/2 in. by 3/8 in.
160 perforations from 33 ft. to 53 ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(8) SCREENS:

Well screen installed? Yes No
Manufacturer's Name
Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(9) CONSTRUCTION:

Well seal—Material used in seal Bentonite
Depth of seal 18 ft. Was a packer used?
Diameter of well bore to bottom of seal 10 in.
Were any loose strata cemented off? Yes No Depth
Was a drive shoe used? Yes No
Was well gravel packed? Yes No Size of gravel:
Gravel placed from ft. to ft.
Did any strata contain unusable water? Yes No
Type of water? depth of strata
Method of sealing strata off

(10) WATER LEVELS:

Static level 14 ft. below land surface Date 8/12/65
Artesian pressure lbs. per square inch Date

(11) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom? US
Yield: 250 gal./min. with 19 ft. drawdown after 2 hrs.
" " " " "
" " " " "
Bailer test gal./min. with ft. drawdown after hrs.
Artesian flow g.p.m. Date
Temperature of water Was a chemical analysis made? Yes No

(12) WELL LOG:

Diameter of well below casing 6"
Depth drilled 54 ft. Depth of completed well 54 ft.
Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

MATERIAL	FROM	TO
Sand & gravel	0	4
Sand & gravel & boulders	4	8
Boulders	8	12
Boulders w/sand & gravel	12	16
Cemented sand & gravel	16	20
Sand & gravel	20	25
Boulders	25	30
Sand & gravel & boulders	30	35
Boulders	35	54

Work started 7/1/65 19 Completed 8/12/65 19
Date well drilling machine moved off of well 8/12/65 19

(13) PUMP:

Manufacturer's Name
Type: H.P.

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Casey Jones Well Drilling Co.
(Person, firm or corporation) (Type or print)
Address Rt. 2 Box 695 Creswell, Oregon

Drilling Machine Operator's License No. 334

[Signed] *Robert J. Jones*
(Water Well Contractor)

Contractor's License No. 103 Date 8/23/65, 19...