

LANE 9862

LANE

OCT 30 1984

WATER WELL REPORT

9862

17/1W-19

NOTICE TO WATER WELL CONTRACTOR: The original and first copy of this report are to be filed with the STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

State Well No. 17/2W-24 State Permit No.

(1) OWNER: Revised Copy Name Oren Beymer Address 2561 Chula Vista Blvd. Eugene, Oregon

(2) LOCATION OF WELL: County Lane Driller's well number 1/4 Section 24 T. 17S R. 2W W.M. Bearing and distance from section or subdivision corner

(3) TYPE OF WORK (check): New Well [X] Deepening [] Reconditioning [] Abandon [] abandonment, describe material and procedure in Item 12.

(4) PROPOSED USE (check): Domestic [X] Industrial [] Municipal [] Irrigation [] Test Well [] Other [] (5) TYPE OF WELL: Rotary [X] Driven [] Cable [] Jetted [] Dug [] Bored []

(6) CASING INSTALLED: Threaded [] Welded [X] 6" Diam. from 0 ft. to 46 1/2 ft. Gage 250

(7) PERFORATIONS: Perforated? [] Yes [X] No Type of perforator used Size of perforations in. by in. perforations from ft. to ft.

(8) SCREENS: Well screen installed? [] Yes [X] No Manufacturer's Name Type Model No. Slot size Set from ft. to ft.

(9) CONSTRUCTION: Well seal—Material used in seal Puddled clay & cement Depth of seal 20 ft. Was a packer used? Diameter of well bore to bottom of seal 10 in. Were any loose strata cemented off? [] Yes [X] No Depth Was a drive shoe used? [X] Yes [] No Was well gravel packed? [] Yes [X] No Size of gravel: Gravel placed from ft. to ft. Did any strata contain unusable water? [] Yes [X] No Type of water? depth of strata Method of sealing strata off

(10) WATER LEVELS: Static level 125 ft. below land surface Date 8-6-64 Artesian pressure lbs. per square inch Date

(11) WELL TESTS: Drawdown is amount water level is lowered below static level Was a pump test made? [X] Yes [] No If yes, by whom? Yield: 200 gal./min. with 200 ft. drawdown after 8 hrs.

(12) WELL LOG: Diameter of well below casing 6" Depth drilled 335 ft. Depth of completed well 335 ft. Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

Table with 3 columns: MATERIAL, FROM, TO. Rows include Basalt, Sand, gravel & boulders, Red cinder, Basalt, Brown & red conglomer, Basalt, Red & black conglomer, Basalt, Red & black conglomer, Basalt, Red & black conglomer, Basalt.

Work started 7-30-64 19 Completed 8-6-64 19 Date well drilling machine moved off of well 8-6-64 19

(13) PUMP: Manufacturer's Name Rapidayton Type: submersible H.P. 20

Water Well Contractor's Certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. NAME Casey Jones Well Drilling Company (Person, firm or corporation) (Type or print) Address Rt. 2 Box 695 Creswell, Oregon Drilling Machine Operator's License No. 160 [Signed] Albert Jones (Water Well Contractor) Contractor's License No. 103 Date 10-22-64, 19


Oct. 22, 1964

We are sending a revised copy of the log on this well because we took a pump test after the first log was sent, and found that the well would produce a great deal more water than was determined by the bailer test.

Mr. Beymer is using this well to supply water for a sub-division, and therefore would like this corrected in order to insure no difficulties with his permits.

CASEY JONES WELL DRILLING

Delbert S. Jones



NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

RECEIVED

AUG 12 1964

WATER WELL REPORT

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

STATE OF OREGON (Please type or print)

State Well No. 17/1W-24

State Permit No.

(1) OWNER:

Name Oren Beymer
Address P. O. Box 985
Eugene, Oregon

(2) LOCATION OF WELL:

County Lane Driller's well number
1/4 1/4 Section 24 T. 17S R. 2W W.M.
Bearing and distance from section or subdivision corner

(3) TYPE OF WORK (check):

Well [X] Deepening [] Reconditioning [] Abandon []
If abandonment, describe material and procedure in Item 12.

(4) PROPOSED USE (check):

Domestic [X] Industrial [] Municipal []
Irrigation [] Test Well [] Other []

(5) TYPE OF WELL:

Rotary [X] Driven []
Cable [] Jetted []
Dug [] Bored []

(6) CASING INSTALLED:

Threaded [] Welded [X]
6" Diam. from 0 ft. to 46 1/2 ft. Gage 250.
"Diam. from ft. to ft. Gage
"Diam. from ft. to ft. Gage

(7) PERFORATIONS:

Perforated? [] Yes [X] No
Type of perforator used
Size of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(8) SCREENS:

Well screen installed? [] Yes [X] No
Manufacturer's Name
Model No.
Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(9) CONSTRUCTION:

Well seal—Material used in seal Puddled clay & cement
Depth of seal 20 ft. Was a packer used?
Diameter of well bore to bottom of seal 10 in.
Were any loose strata cemented off? [] Yes [X] No Depth
Was a drive shoe used? [X] Yes [] No
Was well gravel packed? [] Yes [X] No Size of gravel:
Gravel placed from ft. to ft.
Did any strata contain unusable water? [] Yes [X] No
Type of water? depth of strata
Method of sealing strata off

(10) WATER LEVELS:

Static level 125' ft. below land surface Date 8-6-64
Artesian pressure lbs. per square inch Date

(11) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? [] Yes [X] No If yes, by whom?
Yield: gal./min. with ft. drawdown after hrs.
Bailer test 9000 gal./min. with 200 ft. drawdown after 1 hrs.
Artesian flow g.p.m. Date
Temperature of water Was a chemical analysis made? [] Yes [] No

(12) WELL LOG:

Diameter of well below casing 6"
Depth drilled 335 ft. Depth of completed well 335 ft.
Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

Table with columns MATERIAL, FROM, TO. Rows include Basalt, Sand, gravel & boulders, Red cinder, Basalt, Brown & Red conglomer, Basalt, Red & black conglomer, Basalt, Red & black conglom, Basalt, Red & black conglom, Basalt.

Work started 7-30-64 19 Completed
Date well drilling machine moved off of well

(13) PUMP:

Manufacturer's Name
Type:
Water Well Contractor's C
This well was drilled true to the best of my knowledge.
NAME Cas (Per)
Address Rt.
Drilling Machine Oper
[Signed] Decker
Contractor's License No. 10