NOTICE TO WATER WELL CONTRACTOR The original and first contribution report are to be filed with the

WATER RESOURCES DEPARTMENT, SALEM, OREGON 97310 within 30 days from the date of well completion.

STATE OF OREGON

APR 2719//

(Do not write above this line) TER RESOURCES DEPT. No.

(1) OWNER: LYMAN SMALLWOO	d (10) LOÇATION OF WELL:	
Name KOZY Heres +=== BANKIN CO.		
Address P.O. Bry 894	SE 14 NW 14 Section 9 T./35 R. //W W.M.	
WALDONT, Oregon	Bearing and distance from section or subdivision corner	
(2) TYPE OF WORK (check):		
New Well ☑ Deepening ☐ Reconditioning ☐ Abandon ☐		
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found //O ft.	
Rotary Driven Domestic Industrial Municipal	Static level 7 ft. below land s	Red and an
Dug 🗌 Bored 🗀 Irrigation 🗎 Test Well 🗌 Other 🖂	Artesian pressure lbs. per square	
CASING INSTALLED: Threaded Welded To Gage 250 ft. to 15 ft. Gage P.V. 2160	(12) WELL LOG: Diameter of well below casing 5 / ft. Depth drilled //5 ft.	
Diam. fromft. toft. Gage	Formation: Describe color, texture, grain size and structure of materials.	
	and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in	
PERFORATIONS: Perforated? Yes No.	position of Static Water Level and indicate princ	cipal water-bearing strata.
Type of perforator used DRILL	MATERIAL	From To SWL
Size of perforations 18 in. by 18 in.	C/A4. 48/10W	0 11
100 perforations from 75 ft. to 115 ft.	CIAY grey	// Z8
perforations from ft. to ft.	CLAY, Hellow	28 32
perforations fromft. toft.	C/Aystone, brown	32 65
(7) SCREENS: Well screen installed? Yes You	CAYIYELLOW	65 68
Manufacturer's Name	Claystore area	68/10
TypeModel No.	Claystone, gray, hisken	110 112 7
Diam Slot size Set from ft. to ft.	CIAYStone , DrowN	112 115
Diam. Slot size Set from ft. to ft.		
(8) WELL TESTS: Drawdown is amount water level is lowered below static level		
Was a pump test made? Yes No If yes, by whom?		
yield: gal./min. with ft. drawdown after hrs.		
II		
" " " " " " " " " " " " " " " " " " "		
Bailer test /8 gal./min. with/OStt. drawdown after hrs.		
Artesian flow g.p.m.		
perature of water Depth artesian flow encountered ft.	Work started 4/15 1977 Completed	14/15 1977
(9) CONSTRUCTION:	Date well drilling machine moved off of well	4/15 1977
Well seal—Material used	Drilling Machine Operator's Certification:	
Well sealed from land surface toft.	This well was constructed under my direct supervision. Materials used and information reported above are true to my	
Diameter of well bore to bottom of sealin.	best knowledge and belief	
Diameter of well bore below seal	[Signed] Kicy Willing Machine Operator) Date 4/23, 1977	
Number of sacks of cement used in well seal sacks Sacks Sacks Sacks	Drilling Machine Operator's License No. 80	
	Water Well Contractor's Certification:	
	This well was drilled under my jurisdiction and this report is	
Vas a drive shoe used? ☐ Yes ☑ No Plugs Size: location ft.	true to the best of my knowledge and belief.	
Did any strata contain unusable water? Yes No	Name / / / / / / / / / / / / / / / / / / /	
ype of water? depth of strata	Address 355 WW. OAK Creek D	CORV. OKC
Method of sealing strata off	181 1. W. T.	- 11
Vas well gravel packed? ☐ Yes ☐ No Size of gravel:	[Signed] (Water Well Contrac	ence)
ravel placed from ft. to ft.	200 /6	11/00 77
Lt.	Contractor's License No.	