NOTICE TO WATER WELL CONTRACT
The original and first cop he original and first cope of this report are to be State Well No. 13/11W-28 filed with the STATE OF OREGON STATE ENGINEER, SALEM, OREGON 9810 [Please type or print) within 30 days from the date ALEM Of (Do not write above this line) State Permit No. ... (10) LOCAT (1) OWNER: Driller's well number County Name Harvey Himes 14 Section 28 T. 13s R.11w Address King Silver Boat Landing & Moorage Waldport. Oregon Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): Abandon | New Well 🗗 Deepening [Reconditioning [If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (3) TYPE OF WELL: (4) PROPOSED USE (check): Depth at which water was first found Driven 🖂 Rotary Static level 3 ft. below land surface. Date Domestic 🖫 Industrial 🗌 Municipal 🗍 Cable Jetted [7] Irrigation | Test Well | Other Dug Bored [7 Artesian pressure lbs. per square inch. Date CASING INSTALLED: CASING INSTALLED: Threaded Welded B 20 ft. to 20 ft. Gage 21 (12) WELL LOG: Diameter of well below casing $_{Depth\ drilled}$ 100 ft. Depth of completed well Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.) PERFORATIONS: Perforated? Tyes F No. MATERIAL SWL From Type of perforator used in. by____ top soil Size of perforations 6 red-brown silty clay perforations from ft. to perforations from _____ ft. to _____ ft. tan soft clav 57 perforations from blue sandstone-hd 57 91 bluegray sandstone (7) SCREENS: Well screen installed? ☐ Yes 🏋 No 100 gray sandstone-hd Manufacturer's Name Diam, ____ Slot size ____ Set from ____ ft. to ____ ft. Diam. Slot size Set from ft. to ft. Drawdown is amount water level is lowered below static level (8) WELL TESTS: Was a pump test made? ☐ Yes ☑ No If yes, by whom? ft. drawdown after gal./min. with hrs. tested with air: estimate could fluctuate Bailer test 8 gal./min. with 97 ft. drawdown after 1 Artesian flow g.p.m. Work started 4/5/72 <u>Com</u>pleted 19 Depth artesian flow encountered pperature of water Date well drilling machine moved off of well 19 (9) CONSTRUCTION:

Well seal-Material used ... Well sealed from land surface to ... Diameter of well bore to bottom of seal ______in. Diameter of well bore below seal ______ in.

Number of sacks of cement used in well seal Number of sacks of bentonite used in well seal Brand name of bentonite Number of pounds of bentonite per 100 gallons

of water	Ibs./100 gai	Į:
Was a drive shoe used?	Yes Y No Plugs Size: location	£
Did any strata contain	unusable water? Yes No	
Type of water?	depth of strata	

Was well gravel packed? [Yes [No Size of gravel: . Gravel placed from ft. to ft.

Method of sealing strata off

best knowledge and belief	
[Signed] Robert W. Claasson Date 4/17	19.72.
(Drilling Machine Operator)	_•
Drilling Machine Operator's License No. 658	

This well was constructed under my direct supervision.

Materials used and information reported above are true to my

Water Well Contractor's Certificat	ion:
------------------------------------	------

Drilling Machine Operator's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name Casey Jones Well Drilling Co Inc. (Person, firm or corporation) (Type or print)

[Signed] Contractor's License No. 103 Date April 17 1972