The original and first by E CE W TER WELL REPORT of this report are to filed with the DEC3 1 1971 STATE OF OREGON STATE ENGINEER, SALEM OREGON 27310 Within 30 days from the date of the late of well completion. SALEM Of the late of the

LINC	State Well No. 6/10W-33
460	State Permit No.

(1) OWNER:	(10) LOCATION OF WELL:
	County Lincoln Driller's well number
Name Larry DuRette	
Address Otis Junction, Oregon	SW 14 ne 14 Section 33 r. 51 6SR. 10W W.M.
(2) TYPE OF WORK (check): From 6" to 8" Well	Bearing and distance from section or subdivision corner
New Well Deepening Reconditioning Abandon	***
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found 78 ft.
Rotary Driven Domestic R Industrial Municipal	Static level 27 ft. below land surface. Date12-6-71
Cable Jetted	Artesian pressure lbs. per square inch. Date
CASING INSTALLED: Threaded D Welded E 8 "Diam. from 0 ft. to 23 ft. Gage 250	(12) WELL LOG: Diameter of well below casing 8
"Diam from ft. to ft. Gage	Depth drilled 230 ft. Depth of completed well 230 ft.
"Diam. from the fit to the fit. Gage	Formation: Describe color, texture, grain size and structure of materials;
Diam. from 10 W	and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in
PERFORATIONS: Perforated? Yes X No.	position of Static Water Level and indicate principal water-bearing strata.
Type of perforator used	MATERIAL From To SWL
Size of perforations in. by in.	Same as Original Well
perforations from	
perforations from	Removed 6" Casing
perforations from	
periorations are to the contract of the contra	
(7) SCREENS: Well screen installed? Yes X No	
Manufacturer's Name	
Type Model No.	
Diam Slot size Set from ft. to ft.	
Diam. Slot size Set from ft. to ft.	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	
Was a pump test made? Yes No If yes, by whom?	
Yield: gal./min. with ft. drawdown after hrs.	
, , , ,	
ested with air estimated 100 GPM could fluctuate	
gal./min. with 203rt. drawdown after 1 hrs.	
Artesian flow g.p.m.	
r perature of water Depth artesian flow encountered ft.	Work started 12-6-71 19 Completed 12-6-71 19 Date well drilling machine moved off of well 12-6-71 19
(9) CONSTRUCTION:	Date well drilling machine moved off of well 12-0-/1 19
Well seal-Material used Cement Grout	Drilling Machine Operator's Certification:
Well sealed from land surface to 21 ft.	This well was constructed under my direct supervision.
Diameter of well bore to bottom of sealin.	Materials used and information reported above are true to my best knowledge and belief.
Diameter of well bore below seal	[Signed] Robert W Clarana Date 12-29-761
Number of sacks of cement used in well seal sacks	(Drilling Machine Operator)
Number of sacks of bentonite used in well seal sacks	Drilling Machine Operator's License No658
Brand name of bentonite	
Number of pounds of bentonite per 100 gallons	Water Well Contractor's Certification:
of water lbs./100 gals.	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief
Was a drive shoe used? [] Yes 💆 No Plugs Size: location ft.	true to the best of my knowledge and belief. Casey Jones Well Drilling Co Inc
Did any strata contain unusable water? Yes No	(Person, firm or corporation) (Type or print)
Type of water? depth of strata	Address 8 Box 695 Pleasant Hill, Oregon 97401
Method of sealing strata off	to West of Inion
Was well gravel packed? [] Yes E No Size of gravel:	[Signed] (Water Well Contractor)
	Contractor's License No. 103 Date 12-29-71 19
Gravel placed from ft. to ft.	Contractor's License No

The original and first to be considered by the of this report are to filed with the DECS 1 1971

STATE OF OREGON

STATE ENGINEER, SALEM OREGON 97310 Within 30 days from the date of well completion. SALEM Of the not write above this line)

LINC State Well No. 6/10W-34

4	60
---	----

State Permit No.

4) OWNER	(10) LOCATION OF WELL:	
(1) OWNER:		
Name Larry DuRette	County Lincoln Driller's well numb	
Address Otis Junction, Oregon	14 14 Section 34 T. XX 6SR.	10W w.m.
(a) TYPE OF WORK (check). The Cultivity	Bearing and distance from section or subdivision	corner
(2) TYPE OF WORK (check): From 6" to 8" Well		
New Well □ Deepening □ Reconditioning ★ Abandon □		
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.	•
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found	78 st.
Rotary ☑ Driven ☐ Domestic ☑ Industrial ☐ Municipal ☐ Cable ☐ Jetted ☐	Static level 27 ft. below land surfa	ace. Date 12-6-71
Cable Jetted	Artesian pressure lbs. per square in	ich. Date
CASING INSTALLED: Threaded Welded D	(12) WELL LOG: Diameter of well below	w casing 8
8 " Diam. from 0 ft. to 23 ft. Gage 250	Depth drilled 230 ft. Depth of completed	1 well 230 ft.
	Formation: Describe color, texture, grain size and	
	and show thickness and nature of each stratum a with at least one entry for each change of formation.	nd aquifer penetrated,
PERFORATIONS: Perforated? Yes X No.	position of Static Water Level and indicate principal	-
	MATERIAL F	rom To SWL
Type of perforator used	Same as Original Well	
Size of perforations in. by in.		
perforations from ft. to ft ft ft.	Removed 6" Casing	
perforations from ft. to ft.	110000000000000000000000000000000000000	
perforations from it. to it.		
(7) SCREENS: Well screen installed? ☐ Yes ※☐ No		
Manufacturer's Name		
Type Model No		
Diam Slot size Set from ft. to ft.		
Diam. Slot size Set from ft. to ft.		
(8) WELL TESTS: Drawdown is amount water level is lowered below static level		
Was a pump test made? Yes No If yes, by whom?		
Yield: gal./min. with ft. drawdown after hrs.		
" "		
ested with air estimated 100 GPM could fluctuate		-
gal./min. with 203tt. drawdown after 1 hrs.		
Artesian flow g.p.m.		
perature of water Depth artesian flow encountered ft.	Work started 12-6-71 19 Completed	12-6-71 19
(9) CONSTRUCTION:	Date well drilling machine moved off of well	12-6-71 19
Well seal-Material used Cement Grout	Drilling Machine Operator's Certification:	
Well sealed from land surface to 21 tt.	This well was constructed under my di	
Diameter of well bore to bottom of sealin.	Materials used and information reported above best knowledge and belief.	ove are true to my
Diameter of well bore below seal	[Signed] Robert W Clourson Dat	te 12-29-761
Number of sacks of cement used in well seal4sacks	(Drilling Machine Operator)	
Number of sacks of bentonite used in well seal sacks	Drilling Machine Operator's License No	
Brand name of bentonite	Water Well Contractor's Certification:	
Number of pounds of bentonite per 100 gallons	This well was drilled under my jurisdiction	on and this warant is
of water lbs./100 gals.	true to the best of my knowledge and belief. Casey Jones Well Drilling	A The
Was a drive shoe used? Yes A No Plugs Size: location ft.	Name	CO TUC
Did any strata contain unusable water? Yes No	(Person, firm or corporation)	(Type or print)
Type of water? depth of strata	Address 8 Box 695 Pleasant Hill,	oregon 7/401
Method of sealing strata off	[Signed] Leller of Spries	<u> </u>
Was well gravel packed? ☐ Yes ► No Size of gravel:	(Water Well Contracto	•
Gravel placed from ft. to ft.	Contractor's License No. 103 Date 12-2	9-71 , 19