

LINC 50696 RECEIVED

STATE OF OREGON  
WATER SUPPLY WELL REPORT  
(as required by ORS 537.765)

AUG 24 1998

WELL I.D. # L 27364  
START CARD # 115150

Instructions for completing this report are on the last page of this form.

(1) OWNER:

Name Rose Lodge H2O Co. (Ralph Carter)  
Address 19 N. Yadel Lane  
City Otis State ORE Zip 97368

Well Number

WATER RESOURCES DEPT.  
SALEM, OREGON

(2) LOCATION OF WELL by legal description:

County Linn Latitude \_\_\_\_\_ Longitude \_\_\_\_\_  
Township 7 N or 10 Range 10 E or WM  
Section 3 NE 1/4 SE 1/4  
Tax Lot 7103-400 Block \_\_\_\_\_ Subdivision \_\_\_\_\_  
Street Address of Well (or nearest address) Bean Creek Rd.

(2) TYPE OF WORK

New Well  Deepening  Alteration (repair/recondition)  Abandonment

(3) DRILL METHOD:

Rotary Air  Rotary Mud  Cable  Auger  
 Other

(4) PROPOSED USE:

Domestic  Community  Industrial  Irrigation  
 Thermal  Injection  Livestock  Other

(5) BORE HOLE CONSTRUCTION:

Special Construction approval  Yes  No Depth of Completed Well 440 ft.  
Explosives used  Yes  No Type \_\_\_\_\_ Amount \_\_\_\_\_

HOLE			SEAL			Sacks or pounds
Diameter	From	To	Material	From	To	
10"	0	38	bentonite	0	38	24
7 7/8"	38	79	cement	74	79	1
5 1/4"	79	440				

How was seal placed: Method  A  B  C  D  E  
 Other bentonite poured dry / cement trowel  
Backfill placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Material \_\_\_\_\_  
Gravel placed from \_\_\_\_\_ ft. to \_\_\_\_\_ ft. Size of gravel \_\_\_\_\_

(6) CASING/LINER:

Diameter	From	To	Gauge	Steel	Plastic	Welded	Threaded
Casing: 6"	0	79	.250	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
Liner: 4"	9	440	#100	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Final location of shoe(s) 80'

(7) PERFORATIONS/SCREENS:

Perforations Method SKLear  
 Screens Type \_\_\_\_\_ Material PVC

From	To	Slot size	Number	Diameter	Tele./pipe size	Casing	Liner
126	440	6	400	1/8"	4"	<input type="checkbox"/>	<input type="checkbox"/>

(8) WELL TESTS: Minimum testing time is 1 hour

Pump  Bailer  Air  Artesian

Yield gal/min	Drawdown	Drill stem at	Time
10	30 1/2	440	1 hr.

Temperature of water 54° Depth Artesian Flow Found \_\_\_\_\_  
Was a water analysis done?  Yes By whom \_\_\_\_\_  
Did any strata contain water not suitable for intended use?  Too little  
 Salty  Muddy  Odor  Colored  Other possible sulfur  
Depth of strata: \_\_\_\_\_

(10) STATIC WATER LEVEL:

8 1/2 ft. below land surface. Date 8-19-98  
Artesian pressure \_\_\_\_\_ lb. per square inch. Date \_\_\_\_\_

(11) WATER BEARING ZONES:

Depth at which water was first found 31'

From	To	Estimated Flow Rate	SWL
31	38	6.7	—
38	47	1.1	—
122	123	2	8 1/2
290	292	2	8 1/2
355	385	6	8 1/2

(12) WELL LOG:

Ground Elevation \_\_\_\_\_

Material	From	To	SWL
BROWN Clay w/ Cobles	0	10	—
BROWN Weathered Rock	10	21	—
BROWN SANDY SHALE	21	28 1/2	—
GREY Sandstone	28 1/2	48	—
GREY SANDSTONE w/ BASALT LAYERS	48	65	—
BLACK BASALT (fractured)	65	72	—
GREY SANDSTONE	72	440	8 1/2

DICKERSON Well Drilling, Inc.  
p# # 1-800-310-2664

Date started 8-14-98 Completed 8-18-98

(unbonded) Water Well Constructor Certification:

I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge and belief.

WWC Number \_\_\_\_\_ Date \_\_\_\_\_  
Signed \_\_\_\_\_

(bonded) Water Well Constructor Certification:

I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief.

WWC Number 1571 Date 8-20-98  
Signed William A. Blair