NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

State	Well No. 85/11 W	-/3
~ 1		

filed with the STATE ENGINEER, SALEM, GREGIN BILL JUL 121973 To not write above this line) of well completion STATE ENGINEER (1) OWNER: Mr. Robin RALEM. OREGON Name 327 South Ebb Avenue Address Lincoln City _Oregon (2) TYPE OF WORK (check): New Well XXX Deepening □ Reconditioning □ Abandon [7] If abandonment, describe material and procedure in Item 12. (3) TYPE OF WELL: (4) PROPOSED USE (check): Rotary | Driven | DomesticXXIXIndustrial | Municipal | Community | Irrigation | Test Well | Other | XXX Jetted | Bored | Cable Dug CASING INSTALLED: Threaded □ Welded XXX ft. to ft. Gage in the gage to ." Diam. from _________ 133 ft below surface PERFORATIONS: Perforated? XXYes | No. Type of perforator used Cutting torch 8 in. by 3/16 in. Size of perforations 15 perforations from 93 ft. to ... perforations from ft. to ft. perforations from ft. to (7) SCREENS: Well screen installed? ☐ Yes XIX No Manufacturer's Name Diam. Slot size Set from ft. to ft. Diam. Slot size Set from ft. to ft. Drawdown is amount water level is lowered below static level (8) WELL TESTS: Was a pump test made? ☐ Yes ☐ No If yes, by whom? Yield: gal./min. with ft. drawdown after hrs. hrs 30 gal./min. with Artesian flow g.p.m. perature of water 52 Depth artesian flow encountered (9) CONSTRUCTION: Well seal-Material used ... Concrete Well sealed from land surface to Number of sacks of cement used in well seal Number of sacks of bentonite used in well seal Brand name of bentonite

Number of pounds of bentonite per 100 gallons

Type of water?

Method of sealing strata off

Gravel placed from

Did any strata contain unusable water?

Yes Y No

Was a drive shoe used? Yes 🔲 No Plugs Size: location ft.

Was well gravel packed?XX Yes □ No Size of gravel: ½" to 3/4

depth of strata

20 ft. to 133 ft. Crushed

(10) LOCATION OF WELL:				
County Lincoln Driller's well n	umber		<u> </u>	
4 1/4 Section / 3 T. 85	R. //	W	W.M.	
Bearing and distance from section or subdivisi	on corne	er		
(11) WATER LEVEL: Completed w	ell.	-	- .	
Depth at which water was first found		<u> </u>	56 ft.	
Static level 56 ft. below land s	surface.	Date 6	<u>/25/7</u>	
Artesian pressure lbs. per squar	re inch.	Date		
(12) WELL LOG: Diameter of well l	below ca	sing (3"	
Depth drilled 152 ft. Depth of compl			152ft.	
Formation: Describe color, texture, grain size and show thickness and nature of each stratum with at least one entry for each change of formation of Static Water Level and indicate print	m and a tion. Ren	quifer pe	netrated,	
MATERIAL	From	То	swL	
Top Soil	0	31		
Brown Clay	3	94*		
	G.P.N			
Hard Rock - Brown	94'	106'		
(water bearing)				
Blue Shale	106	152'		
· —				

			-	
Work started June 21, 1973 Complete	d .T13 7	37 2.	10.73	
Date well drilling machine moved off of well	-	.y 2,	19 / 3 19 7 3	
	<u> </u>	<u>.y</u> .,		
This well was constructed under my Materials used and information reported best knowledge and belief. [Signed]	above a	are true	to my	
(Drilling Machine Operator) Drilling Machine Operator's License No. 34				
Diffing Machine Operator's Execuse 140.	G-C‡			
Water Well Contractor's Certification:	•			
This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Name ART CLINTON WELL DRILLING CO.				
(Person, firm or corporation)	(Ту	pe or prin	=	
Address Rt. 1 Box 2 Independent	ndenc	e, 0	regon 97351	
[Signed] (Water Well Contra	•			
Contractor's License No. 14 Date	July	7 10,	₁₉ 73	

-0- lbs./100 gals.