The original and first by ECE WE WATER WI of this report are to filed with the NOV 26 1971	ELL REPORTECTIVE	1.11	15.1	29
STATE ENGINEER, SALEMOTEGON 27312 NC A Explease ty of well completion. SALEM OF: (Po not write	TOTAL	0 1 No	ow-	5
(1) OWNER:		<u> </u>	,	
Name Larry DuRette	(10) LOCATION OF WELL:			
Address Rt 1 Box 57, Otis Junction, Oregon	County Lincoln Deflier's well i	number		
21, USES CARROLLON, OT ORON	SW 14 Ne 14 Section 3 T 68		TOM	W.M
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivis	sion corne	r	
New Well IT Donnaring II				
If abandonment, describe material and procedure in Item 12.				
	(11) WATER LEVEL: Completed v	vell.		
() CDE (CHECK).	Depth at which water was first found	11		
Rotary Driven Domestic Industrial Municipal	Static level 27 ft. below land	- Lyap	D-4- 77	<u>f</u> 1_8_71
Dug 🛘 Bored 🖂 Irrigation 🖨 Test Well 🖂 Other	Antari			<u> </u>
CASING INSTALLED: Threaded II Welded	Artesian pressure lbs. per squa	re inch.	Date	
	(12) WELL LOG: Diameter of well	.	. 6	<u> </u>
6 "Diam. from 0 ft. to 20 ft. Gage 250	Digitieter of Mell		•	
" Diam. from	Depth drilled 230 ft. Depth of comp			
	Formation: Describe color, texture, grain size and show thickness and nature of each stratu	and struct	ture of a	materials
PERFORATIONS:	with at least one entry for each change of forms	Hon Dan.		-1
Type of perforator used	position of Static Water Level and indicate prin	cipal wat	er-beari	ng strata
	MATERIAL	From	To	SWL
	Top Soil	0	1	
perforations from ft. to ft.	Red Brown Clay	1	14	
perforations fromft. toft.	Hard Gray Sandstone	14	67	
perforations from	Tan Sandstone	67	84	
(7) SCREENS: Well screen installed? ☐ Yes I No	Blue Grey Sandstone	84	159	
Manufacturer's Name	Gray Sandstone frac. at			
Type Model No.	intervals	159	198	
Diam. Slot size Set from ft. to ft.	EXTEXEXHEX SAN Blue-lite gray			
Diam. Slot size Set from ft. to ft.	Sandatone Hard	198	230	
(8) WELL TESTS: Drawdown is amount water level is				
lowered below static level				
Was a pump test made? Yes No If yes, by whom?				
Yield: gal./min. with ft. drawdown after hrs.				
" " "				
Tested with air estimated 100 GPM could fluctuate	e			
Baller lest gal./min. with 203 ft. drawdown after 1 hrs.				
Artesian flow g.p.m.				
perature of water Depth artesian flow encountered ft.	Work started 11-5-71 19 Complete			
(9) CONSTRUCTION:				19
	Date well drilling machine moved off of well	T-9-17		19
Well seal-Material used Cement Grout	Drilling Machine Operator's Certification:			_
Well sealed from land surface to19ft.	This well was constructed under my	direct :	superv	ision.
Diameter of well bore to bottom of sealin.	Materials used and information reported a best knowledge and belief.	above ar	e true	to my
Diameter of well bore below seal	[Signed] Roser W. Clarane. I)ate 11-	19-71	10
Number of sacks of cement used in well seal	(Drining Machine Operator)		•	18
Number of sacks of bentonite used in well sealsacks	Drilling Machine Operator's License No			
Brand name of bentonite	Water Well Contractor's Certification:			
	This well was drilled under my jurisdic		43. •	
or waterlbs./100 gals. Was a drive shoe used? □ Yes □ No Plugs Size: location ft.	arde to the pest of my knowledge and believe	ef.		port is
Did any strata contain unusable water? Yes No	Name Casey Jones Wall Drilling	Co Tn	C	
Turno of meeting	(Person, firm or corporation)	Туре	or print)
copai of strata	Address How Box 655 Fleagant Hil	r, Ore	ROII	
Method of sealing strata off	[Signed] Leller Jones	_		
Was well gravel packed? ☐ Yes 🖺 No Size of gravel:	(Water Well Contrac	tor)		
Gravel placed from ft. to ft.	Contractor's License No. 103 Date	11-19	-71	10
/T/07/ A > >			,	19

med withhere — Willy 2 D 19/1		LL REPOR ECEIVE	6/1	1) (a) ~	.34	
STATE ENGINEER, SALEM OF THE date OF THE OPEN OF WELL COMPLETION. SALEM OF THE OPEN OF T	TE OF lease typ ot write a	OREGON DEC3 1 1979 to No. e or print) STATE ENC State permit bove this line) SALEM OF	No. =	<u> </u>		
(1) OWNER:	- 40		175 <u></u>	/		
Name Larry DuRette		(10) LOCATION OF WELL:				
Address Rt 1 Box 57, Otis Junction, Oregon		County Lincoln Driller's well				
Address It I DOX 11, OUTS SUNCUTON, OF EBOL	1	4 % Section 32 T. 6S		TOM	W.M	
(2) TYPE OF WORK (check):		Bearing and distance from section or subdiv	ision corn	er		
New Well Deepening Reconditioning Aband If abandonment, describe material and procedure in Item 12.	ion []					
		(11) WATER LEVEL: Completed	well.			
(3) TYPE OF WELL: (4) PROPOSED USE (che	eck):	Depth at which water was first found 44				
Rotary 🗷 Driven 🗆 Domestic 🍱 Industrial 🗆 Muni	icipal 🔲	Static level 27 ft. below land		Data 11		
Dug ☐ Bored ☐ Irrigation ☐ Test Well ☐ Other	-	4.1.			. 0 12	
		Artesian pressure lbs. per squ	are inch.	Date		
CASING INSTALLED: Threaded Welded 5 6 " Diam. from 0 ft. to 20 ft. Gage 2		(12) WELL LOG: Diameter of well below casing 6				
		Depth drilled 230 ft. Depth of completed well 230 ft				
" Diam. from ft. Gage		Formation: Describe color, texture, grain size and structure of materials				
PERFORATIONS: Perforated?		and show thickness and nature of each strat with at least one entry for each change of form position of Static Water Level and indicate pr	ation. Rer	ort each	chanae in	
Type of perforator used	J .	MATERIAL	From	то	swl	
Size of perforations in. by in.		Top Soil		7	SWL	
perforations from ft. to	44	-	10	3.4		
perforations from ft. to		Red Brown Clay	 	14		
perforations from		Hard Gray Sandstone	14	67		
	rt.	Tan Sandstone Blue Grey Sandstone	67	84		
(7) SCREENS: Well screen installed? ☐ Yes ▼ No		Gray Sandstone frac. at	84	159		
Manufacturer's Name		- "	750	7.00		
Type Model No	*************	intervals **EXTEXACTOR Shue-lite gray	159	198		
Diam Slot size Set from ft. to	ft.	Sandstone Hard	198	070		
Diam. Slot size Set from ft. to	ft.	Danies vone hard	190	230		
(8) WELL TESTS: Drawdown is amount water level lowered below static level	is					
Was a pump test made? Yes No If yes, by whom?			-			
Yield: gal./min. with ft. drawdown after	hrs.					
" "	<u></u>					
ested with air estimated 100 GPM could flu						
		e				
	hrs.					
Artesian flow g.p.m.						
perature of water Depth artesian flow encountered	ft.	Work started 11-5-71 19 Comple	ted 11-	8-71	19	
(9) CONSTRUCTION:		Dete 11 0 71			19	
Community Co. 1						
The state of the s		Drilling Machine Operator's Certification: This well was constructed under my direct supervision.				
	ft.	Materials used and information reported	above a	super are true	vision. to my	
Diameter of well bore to bottom of sealin.	į	best knowledge and belief.			-	
Diameter of well bore below seal		[Signed] Rocert (2) (Cleaning (Drilling Machine Operator)	Date	ーエソー(, 19	
		Drilling Machine Operator's License No.	ϵ	558		
Number of sacks of bentonite used in well seal						
Brand name of bentonite Number of pounds of bentonite per 100 gallons		Water Well Contractor's Certification:				
		This well was drilled under my jurisdiction and this report is				
of water		true to the best of my knowledge and belief.				
Did any strata contain unusable water? Tyes Tho	ft.	Name Casey Jones Wall Drilling Co Inc				
		R & Roy 695 Pleagent Wi	(Ty	pe or prin	t)	
Type of water? depth of strata		Address 11 C Box 9) 11easant 11	OI	~POII		
Method of sealing strata off		[Signed] Lefter State	<i>i</i> -			
Was well gravel packed? 🗌 Yes 🛱 No 💮 Size of gravel:		(Water Well Cont.	ractor)		*******	
Gravel placed from ft. to ft.		Contractor's License No. 103 Date	11-1	9-71	10	
					, ±J	