

NOTICE TO WATER WELL CONTRACTOR
The original and first copy
of this report are to be
filed with the

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

(Do not write above this line)

RECEIVED

MAR 10 1976

95/11W-8

STATE ENGINEER, SALEM, OREGON 97310
within 30 days from the date
of well completion.

State Well No.

WATER RESOURCES DEPT.

State Permit No.

SALEM, OREGON

LINC
742

(1) OWNER:

Name Carl Halvorson
Address 10626 S.W. Barber
Portland, Oregon 97219

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Driven
Cable Jetted
Dug Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

CASING INSTALLED:

Threaded Welded
8" Diam. from 0 ft. to 34 ft. Gage .250
6" Diam. from 0 ft. to 263 ft. Gage .250

PERFORATIONS:

Perforated? Yes No.

Type of perforator used torch
Size of perforations 1/4 in. by 5 in.
96 perforations from 180 ft. to 245 ft.

(7) SCREENS:

Well screen installed? Yes No

Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? Yes No If yes, by whom?
Yield: 28 gal./min. with 200 ft. drawdown after 3 hrs.
" " " "
"Tested with air could fluctuate"
Baller test gal./min. with ft. drawdown after hrs.
Artesian flow g.p.m.

(9) CONSTRUCTION:

Well seal—Material used cement
Well sealed from land surface to 33 ft.
Diameter of well bore to bottom of seal 12 in.
Diameter of well bore below seal 8 in.
Number of sacks of cement used in well seal 21 sacks
Number of sacks of bentonite used in well seal sacks
Brand name of bentonite
Number of pounds of bentonite per 100 gallons
of water lbs./100 gals.
Was a drive shoe used? Yes No Plugs Size: location ft.
Did any strata contain unusable water? Yes No
Type of water? depth of strata
Method of sealing strata off
Was well gravel packed? Yes No Size of gravel:
Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County Lincoln Driller's well number S/A/K
1/4 1/4 Section 8 T. 9S R. 11W W.M.
Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found 68 ft.
Static level 38 ft. below land surface. Date 1/29/76
Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 6
Depth drilled 425 ft. Depth of completed well 425 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
topsoil	0	1	
brown clay	1	7	
brown sand	7	11	
brown sandstone	11	13	
brown sand	13	19	
black basalt	19	62	
black basalt (broken) w/ quartz	62	110	
black basalt	110	124	
black basalt (broken)	124	151	
black basalt	151	194	
black basalt (broken) w/ Quartz	194	253	
black basalt	253	279	
lite blue sandstone (hard)	279	391	
dark blue sandstone (soft)	391	425	

Work started 1/29/76 19 Completed 2/4/76 19
Date well drilling machine moved off of well 2/6/76 19

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Sam J. Haney Date 2/6/76, 19...
(Drilling Machine Operator)

Drilling Machine Operator's License No. 689

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name Corvallis Drilling Co. Inc.
(Person, firm or corporation) (Type or print)

Address 3440 SW 3rd St. Corvallis, Oregon 97330

[Signed] Clarence A. Kinney
(Water Well Contractor)

Contractor's License No. 560 Date 2/6/76, 19...