

NOTICE TO WATER WELL CONTRACTOR

LINN 10494

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

Do not write above this line)

State Well No. 12/4W-46

State Permit No.

The original and first copy of this report are to be filed with the STATE ENGINEER, SALEM, OREGON within 30 days from the date of well completion.

RECEIVED NOV 1 1968 STATE ENGINEER SALEM, OREGON

G-4755

(1) OWNER:

Name H B Smith

Address 1225 W. 8th, Albany, Ore. 97321

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Cable Dug Driven Jetted Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal Irrigation Test Well Other

(11) LOCATION OF WELL:

County Linn Driller's well number
1/4 1/4 Section 4 T. 12S R. 4W W.M.

Bearing and distance from section or subdivision corner

CASING INSTALLED:

10 " Diam. from 0 ft. to 36'03" ft. Threaded Welded Gage 250 wall

PERFORATIONS:

Perforated? Yes No.

Type of perforator used Acetylene Torch
Size of perforations 1/2 in. by 12 in.
42 perforations from 22 ft. to 34 ft.

(7) SCREENS:

Well screen installed? Yes No

Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 10 ft. below land surface Date 10-2-68
Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? Yes No If yes, by whom Ramsey-Waite Eugene, Ore.
Yield: 360 gal./min. with 23 ft. drawdown after ... hrs.
Bailer test 90 gal./min. with No ft. drawdown after 1 1/2 hrs.
Artesian flow g.p.m. Date

(10) CONSTRUCTION:

Well seal—Material used Bentonite
Depth of seal 18 ft.
Diameter of well bore to bottom of seal 14 in.
Were any loose strata cemented off? Yes No Depth

(12) WELL LOG:

Diameter of well below casing 10"
Depth drilled 44 ft. Depth of completed well 44 ft.
Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with 4 columns: MATERIAL, From, To, SWL. Includes entries for Top Soil, Loam, sand & Gravel, and Grey Clay.

Work started 9-27 19 68 Completed 10-2 19 68
Date well drilling machine moved off of well 10-2 19 68

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Martin M... Date 10/8, 1968
(Drilling Machine Operator)

Drilling Machine Operator's License No. 436

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Merle Warren Well Drilling
(Person, firm or corporation) (Type or print)

Address Rt. 1, Box 85, Tangent, Ore. 97389

[Signed] Merle Warren
(Water Well Contractor)

Contractor's License No. 182 Date 10-8, 1968